

Randomized Shellsort: A Simple Data-Oblivious Sorting Algorithm

MICHAEL T. GOODRICH, University of California, Irvine

In this article, we describe a *randomized Shellsort* algorithm. This algorithm is a simple, randomized, data-oblivious version of the Shellsort algorithm that always runs in $O(n \log n)$ time and succeeds in sorting any given input permutation with very high probability. Taken together, these properties imply applications in the design of new efficient privacy-preserving computations based on the secure multiparty computation (SMC) paradigm. In addition, by a trivial conversion of this Monte Carlo algorithm to its Las Vegas equivalent, one gets the first version of Shellsort with a running time that is provably $O(n \log n)$ with very high probability.

Categories and Subject Descriptors: F.2.2 [Analysis of Algorithms and Problem Complexity]: Nonnumerical Algorithms and Problems

General Terms: Algorithms, Theory

Additional Key Words and Phrases: Sorting, Chernoff bounds, data-oblivious algorithms

ACM Reference Format:

Goodrich, M. T. 2011. Randomized shellsort: A simple data-oblivious sorting algorithm. *J. ACM* 58, 6, Article 27 (December 2011), 26 pages.

DOI = 10.1145/2049697.2049701 <http://doi.acm.org/10.1145/2049697.2049701>

27

1. INTRODUCTION

July 2009 marked the 50th anniversary of the Shellsort algorithm [Shell 1959]. This well-known sorting algorithm (which should always be capitalized, since it is named after its inventor) is simple to implement. Given a sequence of offset values, (o_1, o_2, \dots, o_p) , with each $o_i < n$, and an unsorted array A , whose n elements are indexed from 0 to $n - 1$, the Shellsort algorithm (in its traditional form) is as follows:

```
for  $i = 1$  to  $p$  do
  for  $j = 0$  to  $o_i - 1$  do
    Sort the subarray of  $A$  consisting of indices  $j, j + o_i, j + 2o_i, \dots$ , e.g., using insertion-sort.
```

In fact, even this traditional version of Shellsort is actually a family of algorithms, since there are so many different offset sequences. The trick in implementing a traditional version of Shellsort, therefore, is coming up with a good offset sequence. Pratt [1972] shows that using a sequence consisting of all products of powers of 2 and 3 less than n results in a worst-case running time of $O(n \log^2 n)$. Several other offset sequences have been studied (e.g., see the excellent survey of Sedgewick [1996]), but

This research was supported in part by the National Science Foundation under grants 0724806, 0713046, 0830403, 0847986, 0953071, 1012798, and by the Office of Naval Research under MURI grant N00014-08-1-1015.

Author's address: M. T. Goodrich, University of California, Irvine, Department of Computer Science, Irvine, CA 92697-3435; email: goodrich@uci.edu.

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies show this notice on the first page or initial screen of a display along with the full citation. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, to republish, to post on servers, to redistribute to lists, or to use any component of this work in other works requires prior specific permission and/or a fee. Permission may be requested from Publications Dept., ACM, Inc., 2 Penn Plaza, Suite 701, New York, NY 10121-0701, USA, fax +1 (212) 869-0481, or permissions@acm.org.

© 2011 ACM 0004-5411/2011/12-ART27 \$10.00

DOI 10.1145/2049697.2049701 <http://doi.acm.org/10.1145/2049697.2049701>

none beat the asymptotic performance of the Pratt sequence. Moreover, Plaxton and Suel [1997] establish a lower bound of $\Omega(n \log^2 n / (\log \log n)^2)$ for the worst-case running time of Shellsort with any input sequence (see also Cypher [1993]) and Jiang et al. [2000] establish a lower bound of $\Omega(pn^{1+1/p})$ for the average-case running time of Shellsort. Thus, the only way to achieve an $O(n \log n)$ average-time bound for Shellsort is to use an offset sequence of length $\Theta(\log n)$, and, even then, the problem of proving an $O(n \log n)$ average running-time bound for a version of Shellsort is a long-standing open problem [Sedgewick 1996].

The approach we take in this article is to consider a variant of Shellsort where the offset sequence is a fixed sequence, (o_1, o_2, \dots, o_p) , of length $O(\log n)$ —indeed, we just use powers of two—but the “jumps” for each offset value in iteration i are determined from a random permutation between two adjacent regions in A of size o_i (starting at indices that are multiples of o_i). The standard Shellsort algorithm is equivalent to using the identity permutation between such region pairs, so it is appropriate to consider this to be a randomized variant of Shellsort.

In addition to variations in the offset sequence and how it is used, there are other existing variations to Shellsort, which are based on replacing the insertion-sort in the inner loop with other actions. For instance, Dobosiewicz [1980] proposes replacing the insertion-sort with a single linear-time *bubble-sort pass*—doing a left-to-right sequence of compare-exchanges between elements at offset-distances apart—which will work correctly, for example, with the Pratt offset sequence, and which seems to work well in practice for geometric offset sequences with ratios less than 1.33 [Dobosiewicz 1980]. Incerpi and Sedgewick [1987, 1985] study a version of Shellsort that replaces the insertion-sort by a *shaker* pass (see also Brejová [2001]; Weiss and Sedgewick [1988]). This is a left-to-right bubble-sort pass followed by a right-to-left bubble-sort pass and it also seems to do better in practice for geometric offset sequences [Incerpi and Sedgewick 1987]. Yet another modification of Shellsort replaces the insertion-sort with a *brick* pass, which is a sequence of odd-even compare-exchanges followed by a sequence of even-odd compare-exchanges [Sedgewick 1996]. While these variants perform well in practice, we are not aware of any average-case analysis for any of these variants of Shellsort that proves they have an expected running time of $O(n \log n)$. Sanders and Fleischer [2001] describe an algorithm they call “randomized Shellsort,” which is a data-dependent Shellsort algorithm as in the above pseudo-code description, except that it uses products of random numbers as its offset sequence. They don’t prove an $O(n \log n)$ average-time bound for this version, but they do provide some promising empirical data to support an average running time near $O(n \log n)$; see also McGeoch et al. [2002].

1.1. Data-Oblivious Sorting

In addition to its simplicity, one of the interesting properties of Shellsort is that many of its variants are *data-oblivious*. Specifically, if we view compare-exchange operations as a reliable¹ primitive (i.e., as a “black box”), then Shellsort algorithms with bubble-sort passes, shaker passes, brick passes, or any combination of such sequences of data-independent compare-exchange operations, will perform no operations that depend on the relative order of the elements in the input array. Such data-oblivious algorithms have several advantages, as we discuss here.

A data-oblivious algorithm for sorting a set of n items can alternatively be viewed as a *sorting network* [Leighton 1992], where the elements in the input array are provided

¹We assume throughout this article that compare-exchange operations always operate correctly; readers interested in fault-tolerant sorting should see, for example, Assaf and Upfal [1991], Braverman and Mossel [2008], Feige et al. [1994].

as values given on n input wires and internal gates are compare-exchanges. Ajtai, Komlós, and Szemerédi (AKS) [Ajtai et al. 1983] show that one can achieve a sorting network with $O(n \log n)$ compare-exchange gates in the worst case, but their method is quite complicated and has a very large constant factor, even with subsequent improvements [Paterson 1990; Seiferas 2009]. Leighton and Plaxton [1998] describe a randomized method for building a data-oblivious sorting network that uses $O(n \log n)$ compare-exchange gates and sorts any given input array with very high probability. Unfortunately, even though the Leighton-Plaxton sorting algorithm is simpler than the AKS sorting network, it is nonetheless considered by some not to be simple in an absolute sense (e.g., see Sedgewick [1996]).

One can also simulate other parallel sorting algorithms or network routing methods, but these don't lead to simple time-optimal data-oblivious sequential sorting algorithms. For example, the online routing method of Arora et al. [1990] is time-optimal but not data-oblivious, as are the PRAM sorting algorithms of Shavit et al. [1997], Cole [1988], Reif [1985], and Goodrich and Kosaraju [1996]. The shear-sort algorithm of Scherson and Sen [1989] is simple and data-oblivious but not time-optimal. The columnsort algorithm of Leighton [1985] and the sorting method of Maggs and Vöcking [2000] are asymptotically fast, but they both employ the AKS network; hence, they are not simple.

Finally, note that well-known time-optimal sorting algorithms, such as radix-sort, quicksort, heapsort, and mergesort (e.g., see Cormen et al. [2001], Franceschini et al. [2007], Goodrich and Tamassia [2002], and Sedgewick [1992]), are not data-oblivious. In addition, well-known data-oblivious sorting algorithms, such as odd-even merge-sort and Batcher's bitonic sort (e.g., see Leighton [1992]), as well as Pratt's version of Shellsort [Pratt 1972], run in $\Theta(n \log^2 n)$ time. Therefore, existing sorting algorithms arguably do not provide a simple data-oblivious sorting algorithm that runs in $O(n \log n)$ time and succeeds with very high probability for any given input permutation.

1.1.1. Modern Motivations for Simple Data-Oblivious Sorting. Originally, data-oblivious sorting algorithms were motivated primarily from their ability to be implemented in special-purpose hardware modules [Knuth 1973]. Interestingly, however, there is a new, developing set of applications for data-oblivious sorting algorithms in information security and privacy.

In secure multi-party computation (SMC) protocols (e.g., see Ben-David et al. [2008], Canetti et al. [2002], Du and Atallah [2001], Du and Zhan [2002], Maurer [2006], and Malkhi et al. [2004]), two or more parties separately hold different portions of a set of data values, $\{x_1, x_2, \dots, x_n\}$, and are interested in computing some function, $f(x_1, x_2, \dots, x_n)$, on these values. In addition, due to privacy concerns, none of the different parties is willing to reveal the specific values of his or her pieces of data. SMC protocols allow the parties to compute the value of f on their collective input values without revealing any of their specific data values (other than what can be inferred from the output function, f , itself [Goodrich 2009]).

One of the main tools for building SMC protocols is to encode the function f as a circuit and then simulate an evaluation of this circuit using digitally-masked values, as in the Fairplay system [Ben-David et al. 2008; Malkhi et al. 2004]. By then unmasking only the output value(s), the different parties can learn the value of f without revealing any of their own data values. Unfortunately, from a practical standpoint, SMC systems like Fairplay suffer from a major efficiency problem, since encoding entire computations as circuits can involve significant blow-ups in space (and simulation time). These blow-ups can be managed more efficiently, however, by using data-oblivious algorithms to drive SMC computations where only the primitive operations

(such as MIN, MAX, AND, ADD, or compare-exchange) are implemented as simulated circuits. That is, each time such an operation is encountered in such a computation, the parties perform an SMC computation to compute its masked value, with the rest of the steps of the algorithm performed in an oblivious way. Thus, for a problem like sorting, which in turn can be used to generate random permutations, in a privacy-preserving way, being able to implement the high-level logic in a data-oblivious manner implies that simulating only the low-level primitives using SMC protocols will reveal no additional information about the input values. This zero-additional-knowledge condition follows from the fact that data-oblivious algorithms use their low-level primitive operations in ways that don't depend on input data values. Therefore, we would like to have a simple data-oblivious sorting algorithm, so as to drive efficient SMC protocols that use sorting as a subroutine.

1.2. Our Results

In this article, we present a simple, data-oblivious randomized version of Shellsort, which always runs in $O(n \log n)$ time and sorts with very high probability. In particular, the probability that it fails to sort any given input permutation will be shown to be at most $1/n^b$, for some constant $b \geq 1$, which is the standard for “very high probability” (v.h.p.) that we use throughout this article.

Although this algorithm is quite simple, our analysis that it succeeds with very high probability is not. Our proof of probabilistic correctness uses a number of different techniques, including iterated Chernoff bounds and a probabilistic version of the zero-one principle. Our analysis also depends on insights into how this randomized Shellsort method brings an input permutation into sorted order, including a characterization of the sortedness of the sequence in terms of “zones of order.” We bound the degree of zero-one unsortedness, or *dirtyiness*, using three probabilistic lemmas and an inductive argument showing that the dirtyiness distribution during the execution of our randomized Shellsort algorithm has exponential tails with polylogarithmic dirtyiness at their ends, with very high probability (w.v.h.p.). We establish the necessary claims by showing that the region compare-exchange operation simultaneously provides three different kinds of near-sortedness, which we refer to as a “leveraged-splitters.” We show that, as the algorithm progresses, these leveraged-splitters cause the dirtyiness of the central region, where zeroes and ones meet, to become progressively cleaner, while the rest of the array remains very clean, so that, in the end, the array becomes sorted, w.v.h.p.

In addition to this theoretical analysis, we also provide a Java implementation of our algorithm, together with some experimental results.

As a data-oblivious algorithm, our randomized Shellsort method is a Monte Carlo algorithm (e.g., see Mitzenmacher and Upfal [2005] and Motwani and Raghavan [1995]), in that it always runs in the same amount of time but can sometimes fail to sort. It can easily be converted into a data-dependent Las Vegas algorithm, however, which always succeeds but has a randomized running time, by testing if its output is sorted and repeating the algorithm if it is not. Such a data-dependent version of randomized Shellsort would run in $O(n \log n)$ time with very high probability; hence, it would provide the first version of Shellsort that provably runs in $O(n \log n)$ time with very high probability.

2. RANDOMIZED SHELLSORT

In this section, we describe our randomized Shellsort algorithm. As we show in the sections that follow, this algorithm always runs in $O(n \log n)$ time and is highly likely to succeed in sorting any given input permutation.




Fig. 1. The region compare-exchange operation. Connections are shown between pairs of regions colored white and their neighboring regions colored gray, under (a) the identity permutation and (b) a random permutation for each pair.

Suppose that we are given an n -element array, A , that we wish to sort, where we assume, without loss of generality, that n is a power of 2. Our randomized Shellsort algorithm uses a geometrically decreasing sequence of offsets, $O = \{n/2, n/4, n/8, \dots, 1\}$. For each offset, $o \in O$, we number consecutive regions in A of length o , as 0, 1, 2, etc., with each starting at an index that is a multiple of o , so that region 0 is $A[0..o-1]$, region 1 is $A[o..2o-1]$, and so on. We compare pairs of regions according to a schedule that first involves comparing regions by a *shaker pass*—an increasing sequence of adjacent-region comparisons followed by a decreasing sequence of adjacent-region comparisons. We then perform an *extended brick pass*, where we compare regions that are 3 offsets apart, then regions 2 offsets apart, and finally those that are odd-even adjacent and then those that are even-odd adjacent. We refer to this entire schedule as a *shaker-brick pass*, since it consists of a shaker pass followed by a type of brick pass.

2.1. Region Compare-Exchange Operations

Each time we compare two regions, say A_1 and A_2 , of A , of size $o \in O$ each, we form c independent random matchings of the elements in A_1 and A_2 , for a constant $c \geq 1$, which is determined in the analysis. For each such matching, we perform a compare-exchange operation between each pair of elements in A_1 and A_2 that are matched, in an iterative fashion through the c matchings. We refer to this collective set of compare-exchanges as a *region compare-exchange*. (See Figure 1.)

2.2. The Core Algorithm

A pseudo-code description of our randomized Shellsort algorithm, which assumes n is a power of two, is as shown in Figure 2. (We also provide a complete Java implementation in Figure 5, in Section 6.)

Clearly, the description of our randomized Shellsort algorithm shows that it runs in $O(n \log n)$ time, since we perform $O(n)$ compare-exchange operations in each of $\log n$ iterations.

```

for  $o = n/2, n/2^2, n/2^3, \dots, 1$  do
  Let  $A_i$  denote subarray  $A[i \dots i + o - 1]$ , for  $i = 0, 1, 2, \dots, n/o - 1$ .
  do a shaker pass:
    Region compare-exchange  $A_i$  and  $A_{i+1}$ , for  $i = 0, 1, 2, \dots, n/o - 2$ .
    Region compare-exchange  $A_{i+1}$  and  $A_i$ , for  $i = n/o - 2, \dots, 2, 1, 0$ .
  do an extended brick pass:
    Region compare-exchange  $A_i$  and  $A_{i+3}$ , for  $i = 0, 1, 2, \dots, n/o - 4$ .
    Region compare-exchange  $A_i$  and  $A_{i+2}$ , for  $i = 0, 1, 2, \dots, n/o - 3$ .
    Region compare-exchange  $A_i$  and  $A_{i+1}$ , for even  $i = 0, 1, 2, \dots, n/o - 2$ .
    Region compare-exchange  $A_i$  and  $A_{i+1}$ , for odd  $i = 0, 1, 2, \dots, n/o - 2$ .

```

Fig. 2. A pseudo-code description of our randomized Shellsort algorithm.

2.3. Adding a Cleanup Phase

Even though this randomized Shellsort algorithm works, as is, in practice (e.g., see Section 6), we make a minor addition to the core algorithm here for the sake of proving a high-probability bound. In particular, we add a cleanup postprocessing phase at the end of the core algorithm that takes care of any stray elements that are out of place, provided there are not too many such elements. This modification is probably an artifact of our analysis, not the algorithm itself, but it is nevertheless helpful in proving a high-probability bound.

Define an n -element array, A , to be m -near-sorted if all but m of the n elements in A are in sorted order. A p -sorter [Atallah et al. 1988; Beigel and Gill 1990] is a deterministic sorting algorithm that can sort a subarray of size p as an atomic action. Suppose S is a data-oblivious (deterministic) $2m$ -sorter that runs in $T(m)$ time. Define an S -shaker pass over A to consist of a use of S at positions that are multiples of m going up A and then down. That is, an S -shaker pass is defined as follows:

```

for  $i = 0$  to  $n - 2m$  incrementing by steps of  $m$  do
  Use  $S$  to sort  $A[i \dots i + 2m - 1]$ .
for  $i = n - 2m$  to  $0$  decrementing by steps of  $m$  do
  Use  $S$  to sort  $A[i \dots i + 2m - 1]$ .

```

To show that this method sorts an m -near-sorted array A , we make use of the *zero-one principle for sorting networks* (which also applies to data-oblivious sorting algorithms).

THEOREM 2.1 [KNUTH 1973]. *A sorting network (or data-oblivious sorting algorithm) correctly sorts all sequences of arbitrary inputs if and only if it correctly sorts all sequences of 0-1 inputs.*

The main idea behind this principle is that it allows us to reduce each case of distinguishing the k largest elements and the $n - k$ smallest elements to an instance having k ones and $n - k$ zeroes. This allows us to easily prove the following.

LEMMA 2.2. *Given an m -near-sorted array A of size n , and a $2m$ -sorter S , running in $T(m)$ time, a S -shaker pass over A will sort A in $O(T(m)n/m)$ time.*

PROOF. Suppose A is an m -near-sorted binary array, consisting of k ones and $n - k$ zeroes. Thus, there are at most m ones below position $n - k$ in A and at most m zeroes after this position in A . Since it sorts subarrays of size $2m$ in an overlapping way, the forward loop in an S -shaker pass will move up all the lower-order ones so that there are no ones before position $n - k - m'$, where m' is the number of high-order zeroes. Thus,

since $m' \leq m$, the backward loop in an S -shaker pass will move down all high-order zeroes so that there are no zeroes after position $n - k$. \square

In the following we show that the randomized Shellsort, as described in Section 2, will α polylog(n)-near-sort an input array A , with very high probability, for some constant $\alpha > 0$. We can then use Pratt's version [Pratt 1972] of (deterministic) Shellsort as a 2α polylog(n)-sorter, S , in a S -shaker postprocessing pass over A , which will run in $O(n(\log \log n)^2)$ time and (by Lemma 2.2) will complete the sorting of A . Note, in addition, that since we are using a Shellsort implementation in an S -shaker (Shellsort-type) pass, adding this postprocessing phase to our randomized Shellsort algorithm keeps the entire algorithm being a data-oblivious variant of the Shellsort algorithm.

3. OUTLINE OF THE ANALYSIS OF THE CORE ALGORITHM

Before we analyze the essential properties of region compare-exchange operations, let us provide an outline for approach to the analysis of the core part of our randomized Shellsort algorithm.

3.1. A Probabilistic Zero-One Principle

We begin our discussion with a probabilistic version of the zero-one principle.

LEMMA 3.1. *If a randomized data-oblivious sorting algorithm sorts any binary array of size n with failure probability at most ϵ , then it sorts any arbitrary array of size n with failure probability at most $\epsilon(n + 1)$.*

PROOF. The lemma² follows from the proof of Theorem 3.3 by Rajasekaran and Sen [2005], which itself is based on the justification of Knuth [1973] for the deterministic version of the zero-one principle for sorting networks. The essential fact is that an arbitrary n -element input array, A , has, via monotonic bijections, at most $n + 1$ corresponding n -length binary arrays, such that A is sorted correctly by a data-oblivious algorithm, \mathcal{A} , if and only if every bijective binary array is sorted correctly by \mathcal{A} . (See Rajasekaran and Sen [2005] or Knuth [1973] for the proof of this fact.) \square

Note that this lemma is only of practical use for randomized data-oblivious algorithms that have failure probabilities of at most $O(n^{-a})$, for some constant $a > 1$. We refer to such algorithms as succeeding with very high probability. Fortunately, our analysis shows that our randomized Shellsort algorithm will α polylog(n)-near-sort a binary array with very high probability.

3.2. Bounding Dirtiness after Each Iteration

In the d th iteration of our core algorithm, we partition the array A into 2^d regions, $A_0, A_1, \dots, A_{2^d-1}$, each of size $n/2^d$. Moreover, each iteration splits a region from the previous iteration into two equal-sized halves. Thus, the algorithm can be visualized in terms of a complete binary tree, B , with n leaves. The root of B corresponds to a region consisting of the entire array A and each leaf of B corresponds to an individual cell, a_i , in A , of size 1. Each internal node v of B at depth d corresponds with a region, A_i , created in the d th iteration of the algorithm, and the children of v are associated with the two regions that A_i is split into during the $(d + 1)$ -st iteration. (See Figure 3.)

The desired output, of course, is to have each leaf value, $a_i = 0$, for $i < n - k$, and $a_i = 1$, otherwise. We therefore refer to the transition from cell $n - k - 1$ to cell $n - k$ on the last level of B as the *crossover* point. We refer to any leaf-level region to the left of the crossover point as a *low* region and any leaf-level region to the right of the

²A similar lemma is provided by Blackston and Ranade [1993], but they omit the proof.




Fig. 3. The binary tree, B , and the distance of each region from the mixed region (shown in dark gray).

crossover point as a *high* region. We say that a region, A_i , corresponding to an internal node v of B , is a *low* region if all of v 's descendants are associated with low regions. Likewise, a region, A_i , corresponding to an internal node v of B , is a *high* region if all of v 's descendants are associated with high regions. Thus, we desire that low regions eventually consist of only zeroes and high regions eventually consist of only ones. A region that is neither high nor low is *mixed*, since it is an ancestor of both low and high regions. Note that there are no mixed leaf-level regions, however.

Also note that, since our randomized Shellsort algorithm is data-oblivious, the algorithm doesn't take any different behavior depending on whether a region is high, low, or mixed. Nevertheless, we can reason about the actions of our algorithm on different regions in terms of any one of these tuples.

With each high (respectively low) region, A_i , define the *dirtiness* of A_i to be the number of zeroes (respectively ones) that are present in A_i , that is, values of the wrong type for A_i . With each region, A_i , we associate a dirtiness bound, $\delta(A_i)$, which is a desired upper bound on the dirtiness of A_i .

For each region, A_i , at depth d in B , let j be the number of regions between A_i and the crossover point or mixed region on that level. That is, if A_i is a low leaf-level region, then $j = n - k - i - 1$, and if A_i is a high leaf-level region, then $j = j - n + k$. We define the *desired dirtiness bound*, $\delta(A_i)$, of A_i as follows:

— If $j \geq 2$, then

$$\delta(A_i) = \frac{n}{2^{d+j+3}}.$$

— If $j = 1$, then

$$\delta(A_i) = \frac{n}{5 \cdot 2^d}.$$

— If A_i is a mixed region, then

$$\delta(A_i) = |A_i|.$$

Thus, every mixed region trivially satisfies its desired dirtiness bound.

Because of our need for a high probability bound, we will guarantee that each region A_i satisfies its desired dirtiness bound, w.v.h.p., only if $\delta(A_i) \geq 12e \log n$. If $\delta(A_i) < 12e \log n$, then we say A_i is an *extreme region*, for, during our algorithm, this condition implies that A_i is relatively far from the crossover point. (Please see Figure 4, for an illustration of the “zones of order” that are defined by the low, high, mixed, and extreme regions in A .)

We will show that the total dirtiness of all extreme regions is $O(\log^3 n)$ w.v.h.p. Thus, we can terminate our analysis when the number and size of the non-extreme regions is $\text{polylog}(n)$, at which point the array A will be $O(\text{polylog}(n))$ -near-sorted w.v.h.p. Throughout this analysis, we make repeated use of the following simple but useful lemma.




Fig. 4. An example histogram of the dirtiness of the different kinds of regions, as categorized by the analysis of the randomized Shellsort algorithm. By the inductive claim, the distribution of dirtiness has exponential tails with polylogarithmic ends.

LEMMA 3.2. *Suppose A_i is a low (respectively high) region and Δ is the cumulative dirtiness of all regions to the left (respectively right) of A_i . Then any region compare-exchange pass over A can increase the dirtiness of A_i by at most Δ .*

PROOF. If A_i is a low (respectively high) region, then its dirtiness is measured by the number of ones (respectively zeroes) it contains. During any region compare-exchange pass, ones can only move right, exchanging themselves with zeroes, and zeroes can only move left, exchanging themselves with ones. Thus, the only ones that can move into a low region are those to the left of it and the only zeroes that can move into a high region are those to the right of it. \square

The main analysis of this article is directed, then, at proving the following theorem.

THEOREM 3.3. *After the $O(\log n)$ iterations of the core randomized Shellsort algorithm have completed, the array A will be $O(\text{polylog}(n))$ -near-sorted w.v.h.p.; hence, the postprocessing step will complete the sorting of A .*

To prove this theorem, we will show that, after iteration d , for each region A_i , the dirtiness of A_i is at most $\delta(A_i)$, provided A_i is not extreme and the total dirtiness of all extreme regions is at most $12ed\log^2 n$. Before we can establish this claim and prove Theorem 3.3, however, we must first analyze the ways that region compare-exchange operations bring regions closer to being sorted.

4. ANALYZING THE REGION COMPARE-EXCHANGE OPERATIONS

Let us now turn to the analysis of the ways in which region compare-exchange operations bring two regions in our size- n input array closer to a near-sorted order. We begin with a definition.

4.1. Leveraged Splitters

Ajtai et al. [1983] define a λ -halver of a sequence of $2N$ elements to be an operation that, for any $k \leq N$, results in a sequence so that at most λk of the largest k elements from the sequence are in the first k positions, and at most λk of the smallest k elements are in the last k positions. We define a related notion of a (μ, α, β) -leveraged-splitter to be an operation such that, for the $k \leq (1 - \epsilon)N$ largest (respectively smallest) elements, where $0 \leq \epsilon < 1$, the operation returns a sequence with at most

$$\max\{\alpha(1 - \epsilon)^\mu N, \beta\}$$

of the k largest (smallest) elements on the left (right) half. Thus, a λ -halver is automatically a $(1, \lambda, 0)$ -leveraged-splitter, but the reverse implication is not necessarily true. The primary advantage of the leveraged-splitter concept is that it captures the way that c random matchings with compare-exchanges has a modest impact with respect to a roughly equal number of largest and smallest elements, but they have a geometric impact with respect to an imbalanced number of largest and smallest elements. We show below that a region compare-exchange operation consisting of at least an appropriate constant number of random matchings is, with very high probability, a (α, β, μ) -leveraged-splitter for each of the following sets of parameters:

$$\begin{aligned} \mu = c + 1, \quad \alpha = 1/2, \quad \text{and} \quad \beta = 0, \\ \mu = c + 1, \quad \alpha = (2e)^c, \quad \text{and} \quad \beta = 4e \log n, \\ \mu = 0, \quad \alpha = 1/6, \quad \text{and} \quad \beta = 0, \\ \mu = c + 1, \quad \alpha = 1/2, \quad \text{and} \quad \beta = N/20. \end{aligned}$$

The fact that the single region compare-exchange operation is a (μ, α, β) -leveraged-splitter for each of these different sets of parameters, μ , α , and β , allows us to reason about vastly divergent degrees of sortedness of the different areas in our array as the algorithm progresses. For instance, we use the following lemma to reason about regions whose sortedness we wish to characterize in terms of a roughly equal numbers of smallest and largest elements.

LEMMA 4.1. *Suppose a $(0, \lambda, 0)$ -leveraged-splitter is applied to a sequence of $2N$ elements, and let $(1 - \epsilon)N \leq k \leq (1 + \epsilon)N$ and $l = 2N - k$, where $0 < \lambda < 1$ and $0 \leq \epsilon < 1$. Then, at most $(\lambda + \epsilon)N$ of the k largest elements end up in the left half of the sequence and at most $(\lambda + \epsilon)N$ of the l smallest elements end up in the right half of the sequence.*

PROOF. Let us consider the k largest elements, such that $(1 - \epsilon)N \leq k \leq N$. After applying a $(0, \lambda, 0)$ -leveraged-splitter, there are at most λN of the k largest elements on the left half of the sequence (under this assumption about k). Then there are at least $N - \lambda N$ of the l smallest elements on the left left; hence, at most $l - (N - \lambda N)$ of the l smallest elements on the right half. Therefore, there are at most $N + \epsilon N - (N - \lambda N) = (\lambda + \epsilon)N$ of the l smallest elements on the right half. A similar argument applies to the case when $N \leq k \leq (1 + \epsilon)N$ to establish an upper bound of at most $(\lambda + \epsilon)N$ of the k smallest elements on the left half. \square

Let us now turn to the proofs that region compare-exchange operations are (μ, α, β) -leveraged-splitters, for each of the sets of parameters listed above.

4.2. The $(c + 1, 1/2, 0)$ -Leveraged-Splitter Property

We begin with the $(c + 1, 1/2, 0)$ -leveraged-splitter property. So suppose A_1 and A_2 are two regions of size N each that are being processed in a region compare-exchange operation consisting of c random matchings. We wish to show that, for the $k \leq (1 - \epsilon)N$, largest (respectively smallest) elements, this operation returns a sequence such that there are at most

$$\frac{(1 - \epsilon)^{c+1}}{2} N$$

of the k largest (smallest) elements on the left (right) half. Without loss of generality, let us focus on the k largest elements. Furthermore, let us focus on the case where largest k elements are all ones and the $2N - k$ smallest elements are all zeroes, since a region compare-exchange operation is oblivious. That is, if a region compare-exchange operation is a $(c + 1, 1/2, 0)$ -leveraged-splitter in the zero-one case, then it is a $(c + 1, 1/2, 0)$ -leveraged-splitter in the general case as well.

LEMMA 4.2. *Suppose we are given two regions, A_1 and A_2 , each of size N , and let $k = k_1 + k_2$, where k_1 (respectively k_2) is the number of ones in A_1 (respectively A_2). Let $k_1^{(1)}$ be the number of ones in A_1 after a single region compare-exchange matching. Then*

$$E(k_1^{(1)}) = k_1 \left(\frac{k_2}{N} \right).$$

PROOF. In order for a one to remain on the left side after a region compare-exchange matching, it must be matched with a one on the right side. The probability that a one on the left is matched with a one on the right is k_2/N . \square

We use this lemma in the proof of the following, which applies to the case when ϵ is relatively large (that is, when $(1 - \epsilon)$ is relatively small).

LEMMA 4.3 (FAST-DEPLETION LEMMA). *Given two binary regions, A_1 and A_2 , each of size N , let $k = k_1 + k_2$, where k_1 and k_2 are the respective number of ones in A_1 and A_2 , and suppose $k \leq (1 - \epsilon)N$, for $1/4 \leq \epsilon < 1$. Let $k_1^{(c)}$ be the number of ones in A_1 after c random matchings (with compare-exchanges) in a region compare-exchange operation. Then*

$$\Pr \left(k_1^{(2c-1)} > \frac{(1 - \epsilon)^{c+1}N}{2} \right) \leq (2c - 1)e^{-(1-\epsilon)^{c+1}N/2^{10}}.$$

PROOF. The proof is by induction on the number, c , of random matchings. By a theorem of Hoeffding [1963], the expected value of any convex function of the size of such a sample is bounded by the expected value of that function applied to the size of a similar sample with replacement. Thus, we can apply a Chernoff bound (e.g., see Mitzenmacher and Upfal [2005] and Motwani and Raghavan [1995]) to this single random matching and pairwise set of compare-exchange operations. Note that, for the base case,

$$E(k_1^{(1)}) \leq k_1 \left((1 - \epsilon) - k_1/N \right),$$

which is maximized for $k_1 = (1 - \epsilon)N/2$. Thus,

$$E(k_1^{(1)}) \leq \frac{(1 - \epsilon)^2 N}{4}.$$

Therefore, by a well-known Chernoff bound (e.g., see Mitzenmacher and Upfal [2005] and Motwani and Raghavan [1995]),

$$\Pr \left(k_1^{(1)} > \frac{(1 - \epsilon)^2 N}{2} \right) \leq \left(\frac{e}{4} \right)^{(1-\epsilon)^2 N/4} \leq e^{-(1-\epsilon)^2 N/2^4},$$

which establishes the base case.

For the inductive case, $c \geq 2$, let us assume inductively that

$$\Pr \left(k_1^{(2c-3)} > \frac{(1 - \epsilon)^c N}{2} \right) \leq (2c - 3)e^{-(1-\epsilon)^c N/2^{10}}.$$

Recall that

$$E(k_1^{(2c-2)}) \leq k_1^{(2c-3)} \left((1 - \epsilon) - k_1^{(2c-3)}/N \right),$$

which is maximized, in this case, for $k_1^{(2c-3)} = (1 - \epsilon)^c N/2$, since $x(1 - x)$ is a monotonic function for $x \in [0, 1/2]$. Thus,

$$E(k_1^{(2c-2)}) \leq \frac{(1 - \epsilon)^{c+1} N}{2} \leq \left(\frac{3}{4}\right) \frac{(1 - \epsilon)^c N}{2},$$

since $(1 - \epsilon) \leq 3/4$. Therefore, by a well-known Chernoff bound,

$$\begin{aligned} \Pr\left(k_1^{(2c-2)} > \left(\frac{7}{8}\right) \frac{(1 - \epsilon)^c N}{2}\right) &= \Pr\left(k_1^{(2c-2)} > \left(\frac{7}{6}\right) \left(\frac{3}{4}\right) \frac{(1 - \epsilon)^c N}{2}\right) \\ &\leq \left(\frac{e^{1/6}}{(7/6)^{7/6}}\right)^{3(1 - \epsilon)^c N/8} \\ &\leq e^{-(1 - \epsilon)^c N/2^9}. \end{aligned}$$

So, let us assume now that

$$k_1^{(2c-2)} \leq \left(\frac{7}{8}\right) \frac{(1 - \epsilon)^c N}{2},$$

and consider one more random matching. Note that, in this case,

$$E(k_1^{(2c-1)}) \leq \left(\frac{7}{8}\right) \frac{(1 - \epsilon)^{c+1} N}{2}.$$

Therefore, by a well-known Chernoff bound,

$$\begin{aligned} \Pr\left(k_1^{(2c-1)} > \frac{(1 - \epsilon)^{c+1} N}{2}\right) &= \Pr\left(k_1^{(2c-2)} > \left(\frac{8}{7}\right) \left(\frac{7}{8}\right) \frac{(1 - \epsilon)^{c+1} N}{2}\right) \\ &\leq \left(\frac{e^{1/7}}{(8/7)^{8/7}}\right)^{7(1 - \epsilon)^{c+1} N/16} \\ &\leq e^{-(1 - \epsilon)^{c+1} N/2^{10}}. \end{aligned}$$

Combining all the failure probabilities, as in a union bound, then, establishes the lemma. \square

By a symmetrical argument, we have a similar result for the case of $k \leq (1 - \epsilon)N$ zeroes that would wind up in A_2 after c random matchings (with compare-exchange operations between the matched pairs). Thus, we have the following.

COROLLARY 4.4. *If A_1 and A_2 are two regions of size N each, then a compare-exchange operation consisting of $2c - 1$ random matchings (with compare-exchanges between matched pairs) between A_1 and A_2 is a $(c + 1, 1/2, 0)$ -leveraged-splitter with probability at least $1 - (2c - 1)e^{-(1 - \epsilon)^{c+1} N/2^{10}}$.*

This lemma and this corollary are most useful for cases when the regions are large enough so that the failure probability is below $O(n^{-\alpha})$, for $\alpha > 1$.

4.3. The $(c + 1, (2e)^c 4e \log n)$ -Leveraged-Splitter Property

When region sizes or $(1 - \epsilon)$ values are too small for Corollary 4.4 to hold, we can use the $(c + 1, (2e)^c, 4e \log n)$ -leveraged-splitter property of the region-compare operation. As previously shown, we prove this property by assuming, without loss of generality, that we are operating on a zero-one array and by focusing on the k largest elements, that is, the ones. We also note that this particular (μ, α, β) -leveraged-splitter property

is only useful when $(1 - \epsilon) < 1/(2e)$, when considering the $k \leq (1 - \epsilon)N$ largest elements (i.e., the ones), so we add this as a condition as well.

LEMMA 4.5 (LITTLE-REGION LEMMA). *Given two regions, A_1 and A_2 , each of size N , let $k = k_1 + k_2$, where k_1 and k_2 are the respective number of ones in A_1 and A_2 . Suppose $k \leq (1 - \epsilon)N$, where ϵ satisfies $(1 - \epsilon) < 1/(2e)$. Let $k_1^{(c)}$ be the number of ones in A_1 after c region compare-exchange operations. Then*

$$\Pr\left(k_1^{(c)} > \max\{(2e)^c(1 - \epsilon)^{c+1}N, 4e \log n\}\right) \leq cn^{-4}.$$

PROOF. Let us apply an induction argument, based on the number, c' , of random matches in a region compare-exchange operation. Consider an inductive claim, which states that after c' random matchings (with compare-exchange operations),

$$k_1^{(c')} > \max\{(2e)^{c'}(1 - \epsilon)^{c'+1}N, 4e \log n\},$$

with probability at most $c'n^{-4}$. Thus, with high probability, $k_1^{(c')}$ is bounded by the formula on the right-hand side. The claim is clearly true by assumption for $c' = 0$. So, suppose the claim is true for c' , and let us consider $c' + 1$. Since there is at most a $(1 - \epsilon)$ fraction of ones in A_2 ,

$$\mu = E(k_1^{(c'+1)}) \leq (2e)^{c'}(1 - \epsilon)^{c'+2}N.$$

Moreover, the value $k_1^{(c'+1)}$ can be viewed as the number of ones in a sample without replacement from A_2 of size $k_1^{(c')}$. By a theorem of Hoeffding [1963], then, the expected value of any convex function of the size of such a sample is bounded by the expected value of that function applied to the size of a similar sample with replacement. Thus, we can apply a Chernoff bound (e.g., see Mitzenmacher and Upfal [2005] and Motwani and Raghavan [1995]) to this single random matching and pairwise set of compare-exchange operations, to derive

$$\Pr\left(k_1^{(c'+1)} > (1 + \delta)\mu\right) < 2^{-\delta\mu},$$

provided $\delta \geq 2e - 1$. Taking $(1 + \delta)\mu = 2eM(N)$ implies $\delta \geq 2e - 1$, where $M(N) = (2e)^{c'}(1 - \epsilon)^{c'+2}N$; hence, we can bound

$$\Pr\left(k_1^{(c'+1)} > 2eM(N)\right) < 2^{-(2eM(N) - \mu)} \leq 2^{-eM(N)},$$

which also gives us a new bound on $M(N)$ for the next step in the induction. Provided $M(N) \geq 2 \log n$, then this (failure) condition holds with probability less than n^{-4} . If, on the other hand, $M(N) < 2 \log n$, then

$$\Pr\left(k_1^{(c'+1)} > 4e \log n\right) < 2^{-(4e \log n - \mu)} \leq 2^{-2e \log n} < n^{-4}.$$

In this latter case, we can terminate the induction, since repeated applications of the region compare-exchange operation can only improve things. Otherwise, we continue the induction. At some point during the induction, we must either reach $c' + 1 = c$, at which point the inductive hypothesis implies the lemma, or we will have $M(N) < 2 \log n$, which puts us into the second case and implies the lemma. \square

A similar argument applies to the case of the k smallest elements, which gives us the following.

COROLLARY 4.6. *If A_1 and A_2 are two regions of size N each, then a compare-exchange operation consisting of c random matchings (with compare-exchanges between*

matched pairs) between A_1 and A_2 is a $(c + 1, (2e)^c, 4e \log n)$ -leveraged-splitter with probability at least $1 - cn^{-4}$.

As we noted previously, this corollary is only of use for the case when $(1 - \epsilon) < 1/(2e)$, where ϵ is the same parameter as used in the definition of a (μ, α, β) -leveraged-splitter.

4.4. The (0, 1/6, 0)-Leveraged-Splitter Property

The final property we prove is for the (0, 1/6, 0)-leveraged-splitter property. As with the other two properties, we consider here the k largest elements, and focus on the case of a zero-one array.

LEMMA 4.7 (STARTUP LEMMA). *Given two regions, A_1 and A_2 , each of size N , let $k = k_1 + k_2$, where k_1 and k_2 are the respective number of ones in A_1 and A_2 , and $k \leq N$. Let $k_1^{(c)}$ be the number of ones in A_1 after c region compare-exchange operations. Then, $k_1^{(4)} \leq N/6$, with very high probability, provided N is $\Omega(\ln n)$.*

PROOF. The proof involves four consecutive applications of a theorem of Hoeffding [1963] that the expected value of any convex function of the size of a sample without replacement is bounded by the expected value of that function applied to the size of a similar sample with replacement. Thus, we can apply a Chernoff bound (e.g., see Mitzenmacher and Upfal [2005] and Motwani and Raghavan [1995]) to each single random matching and pairwise set of compare-exchange operations, to derive bounds on failure probabilities. As noted above,

$$E(k_1^{(1)}) = k_1 \left(1 - \frac{k_1}{N}\right) \leq \frac{N}{4},$$

since $k_1(1 - k_1/N)$ is maximized at $k_1 = N/2$. Thus, by a well-known Chernoff bound (e.g., see Mitzenmacher and Upfal [2005] and Motwani and Raghavan [1995]),

$$\Pr\left(k_1^{(1)} > \frac{N}{3}\right) = \Pr\left(k_1^{(1)} > \left(1 + \frac{1}{3}\right) \frac{N}{4}\right) \leq \left(\frac{e^{1/3}}{(4/3)^{4/3}}\right)^{N/4} \leq e^{-N/2^7}.$$

So let us assume $k_1^{(1)} \leq N/3$. Since $k_1(1 - k_1/N)$ is monotonic on $[0, N/2]$,

$$E(k_1^{(2)}) \leq \frac{N}{3} \left(1 - \frac{1}{3}\right) = \frac{2N}{9}.$$

Thus, by another application of a Chernoff bound,

$$\Pr\left(k_1^{(2)} > \frac{N}{4}\right) = \Pr\left(k_1^{(2)} > \left(1 + \frac{1}{8}\right) \frac{2N}{9}\right) \leq \left(\frac{e^{1/8}}{(9/8)^{9/8}}\right)^{2N/9} \leq e^{-N/2^{11}}.$$

So let us assume $k_1^{(2)} \leq N/4$. Since $k_1(1 - k_1/N)$ is monotonic on $[0, N/2]$,

$$E(k_1^{(3)}) \leq \frac{N}{4} \left(1 - \frac{1}{4}\right) = \frac{3N}{16}.$$

Thus, again applying a Chernoff bound,

$$\Pr\left(k_1^{(3)} > \frac{N}{5}\right) = \Pr\left(k_1^{(3)} > \left(1 + \frac{1}{15}\right) \frac{3N}{16}\right) \leq \left(\frac{e^{1/15}}{(16/15)^{16/15}}\right)^{3N/16} \leq e^{-N/2^{13}}.$$

So let us assume that $k_1^{(3)} \leq N/5$. Thus, since $k_1(1 - k_1/N)$ is monotonic on $[0, N/2]$,

$$E\left(k_1^{(4)}\right) \leq \frac{N}{5} \left(1 - \frac{1}{5}\right) = \frac{4N}{25}.$$

Thus, by one more application of a Chernoff bound,

$$\Pr\left(k_1^{(4)} > \frac{N}{6}\right) = \Pr\left(k_1^{(4)} > \left(1 + \frac{1}{24}\right) \frac{5N}{25}\right) \leq \left(\frac{e^{1/24}}{(25/24)^{25/24}}\right)^{4N/25} \leq e^{-N/2^{15}}.$$

The proof follows by summing these four failure probabilities and the fact that N is $\Omega(\ln n)$. \square

Of course, the above lemma has an obvious symmetric versions that applies to the number of zeroes on the right side of two regions in a region compare-exchange. Thus, we have the following.

COROLLARY 4.8. *If A_1 and A_2 are two regions of size N each, then a compare-exchange operation consisting of at least 4 random matchings (with compare-exchanges between matched pairs) between A_1 and A_2 is a $(0, 1/6, 0)$ -leveraged-splitter with probability at least $1 - cn^{-4}$, provided N is $\Omega(\ln n)$.*

4.5. The $(c + 1, 1/2, N/20)$ -Leveraged-Splitter Property

Finally, let us consider one additional lemma characterizing region compare-exchange operations. This one is most useful in contexts where ϵ is relatively small.

LEMMA 4.9 (SLOW-DEPLETION LEMMA). *Given two regions, A_1 and A_2 , each of size N , let $k = k_1 + k_2 \leq (1 - \epsilon)N$, where k_1 and k_2 are the respective number of ones in A_1 and A_2 , and $k \leq N$ and $0 < \epsilon < 1$. Let $k_1^{(c)}$ be the number of ones in A_1 after c random matches in a compare-exchange operation. Then*

$$\Pr\left(k_1^{(c)} > \max\{(1 - \epsilon)^{c+1}N/2, N/20\}\right) \leq c e^{-(1-\epsilon)^{c+1}N/2^{12}}.$$

PROOF. The proof is by induction on c . For the base case, note that if $k_1 = k_1^{(0)} \leq N/20$, then we are done, since random compare-exchanges between A_1 and A_2 can only improve the number of ones in A_1 . Furthermore, if $(1 - \epsilon)N/2 \leq N/20$, then we are guaranteed to have $k_1^{(1)} \leq N/20$, since the only way one can stay in A_1 is if it is matched with a one in A_2 . So suppose $k_1 > N/20$ and $(1 - \epsilon)N/2 > N/20$. In this case, recall that

$$E(k_1^{(1)}) \leq \frac{(1 - \epsilon)^2 N}{4}.$$

Thus, combining the theorem of Hoeffding [1963] that the expected value of any convex function of the size of a sample without replacement is bounded by the expected value of that function applied to the size of a similar sample with replacement, and a well-known Chernoff bound,

$$\Pr\left(k_1^{(1)} > \frac{(1 - \epsilon)^2 N}{2}\right) \leq \left(\frac{e}{4}\right)^{(1-\epsilon)^2 N/4} \leq e^{-(1-\epsilon)^2 N/2^4}.$$

For the inductive step, for $c \geq 2$, let us assume the lemma is true for $c - 1$ random matchings and that $(1 - \epsilon)^{c-1}N/2 > N/20$. Let us consider the case when previous steps succeeded, in which case, since $x(1 - x)$ is monotonic for $x \in [0, 1/2]$,

$$\begin{aligned} E(k_1^{(c)}) &\leq \frac{(1 - \epsilon)^c N}{2} \left((1 - \epsilon) - \frac{(1 - \epsilon)^c}{2} \right) \\ &= \frac{(1 - \epsilon)^{c+1} N}{2} \left(1 - \frac{(1 - \epsilon)^{c-1}}{2} \right) \\ &\leq \frac{(1 - \epsilon)^{c+1} N}{2} \left(\frac{19}{20} \right). \end{aligned}$$

Thus, by a well-known Chernoff bound,

$$\begin{aligned} \Pr \left(k_1^{(c)} > \frac{(1 - \epsilon)^{c+1} N}{2} \right) &= \Pr \left(k_1^{(c)} > \left(\frac{20}{19} \right) \left(\frac{19}{20} \right) \frac{(1 - \epsilon)^{c+1} N}{2} \right) \\ &\leq \left(\frac{e^{1/19}}{(20/19)^{20/19}} \right)^{19(1 - \epsilon)^{c+1} N/40} \\ &\leq e^{-(1 - \epsilon)^{c+1} N/2^{12}}. \end{aligned}$$

If, after c random matchings, $k_1 \leq N/20$ or $(1 - \epsilon)^c N/2 \leq N/20$, then we are done, w.v.h.p. Thus, either we satisfy the condition of the lemma or we can continue the induction. Therefore, the proof follows by summing all the failure probabilities. \square

This implies the following.

COROLLARY 4.10. *If A_1 and A_2 are two regions of size N each, then a compare-exchange operation consisting of c random matchings (with compare-exchanges between matched pairs) between A_1 and A_2 is a $(c + 1, 1/2, N/20)$ -leveraged-splitter with probability at least $1 - c e^{-(1 - \epsilon)^{c+1} N/2^{12}}$.*

5. PROVING THE PERFORMANCE OF RANDOMIZED SHELLSORT

In this section, we prove Theorem 3.3, which establishes that, after the $O(\log n)$ iterations of the core Randomized Shellsort algorithm have completed, the array A will be $O(\text{polylog}(n))$ -near-sorted w.v.h.p.; hence, the postprocessing step will complete the sorting of A . To prove this theorem, we will show that the following inductive claim holds with very high probability.

CLAIM 1. *After iteration d , for each region A_i , the dirtiness of A_i is at most $\delta(A_i)$, provided A_i is not extreme. The total dirtiness of all extreme regions is at most $12ed \log^2 n$.*

Let us begin at the point when the algorithm creates the first two regions, A_1 and A_2 . Suppose that $k \leq n - k$, where k is the number of ones, so that A_1 is a low region and A_2 is either a high region (i.e., if $k = n - k$) or A_2 is mixed (the case when $k > n - k$ is symmetric). Let k_1 (respectively k_2) denote the number of ones in A_1 (respectively A_2), so $k = k_1 + k_2$. By the Startup Lemma (4.7), the dirtiness of A_1 will be at most $n/12$, with very high probability, since the region compare-exchange operation is a $(0, 1/6, 0)$ -leveraged-splitter. Note that this satisfies the desired dirtiness of A_1 , since $\delta(A_1) = n/10$ in this case. A similar argument applies to A_2 if it is a high region, and if A_2 is mixed, it trivially satisfies its desired dirtiness bound. Also, assuming n is large enough, there are no extreme regions (if n is so small that A_1 is extreme, we can immediately switch to the postprocessing cleanup phase). Thus, we satisfy the base case of our inductive argument—the dirtiness bounds for the two children of the

root of B are satisfied with (very) high probability, and similar arguments prove the inductive claim for iterations 2 and 3.

Let us now consider a general inductive step. Let us assume that, with very high probability, we have satisfied Claim 1 for the regions on level $d \geq 3$ and let us now consider the transition to level $d + 1$. In addition, we terminate this line of reasoning when the region size, $n/2^d$, becomes less than $16e^2 \log^6 n$, at which point A will be $O(\text{polylog}(n))$ -near-sorted, with very high probability, by Claim 1 and Lemma 3.1.

5.1. Extreme Regions

Let us begin with the bound for the dirtiness of extreme regions in iteration $d + 1$. Note that, by Lemma 3.2, regions that were extreme after iteration d will be split into regions in iteration $d + 1$ that contribute no new amounts of dirtiness to pre-existing extreme regions. That is, extreme regions get split into extreme regions. Thus, the new dirtiness for extreme regions can come only from regions that were not extreme after iteration d that are now splitting into extreme regions in iteration $d + 1$, which we call *freshly extreme* regions. Suppose, then, that A_i is such a region, say, with a parent, A_p , which is j regions from the mixed region on level d . Then the desired dirtiness bound of A_i 's parent region, A_p , is $\delta(A_p) = n/2^{d+j+3} \geq 12e \log n$, by Claim 1, since A_p is not extreme. A_p has (low-region) children, A_i and A_{i+1} , that have desired dirtiness bounds of $\delta(A_i) = n/2^{d+1+2j+4}$ or $\delta(A_i) = n/2^{d+1+2j+3}$ and of $\delta(A_{i+1}) = n/2^{d+1+2j+3}$ or $\delta(A_{i+1}) = n/2^{d+1+2j+2}$, depending on whether the mixed region on level $d + 1$ has an odd or even index. Moreover, A_i (and possibly A_{i+1}) is freshly extreme, so $n/2^{d+1+2j+4} < 12e \log n$, which implies that $j > (\log n - d - \log \log n - 10)/2$. Nevertheless, note also that there are $O(\log n)$ new regions on this level that are just now becoming extreme, since $n/2^d > 16e^2 \log^6 n$ and $n/2^{d+j+3} \geq 12e \log n$ implies $j \leq \log n - d$. So let us consider the two new regions, A_i and A_{i+1} , in turn, and how the shaker pass effects them (for after that they will collectively satisfy the extreme-region part of Claim 1).

— *Region A_i .* Consider the worst case for $\delta(A_i)$, namely, that $\delta(A_i) = n/2^{d+1+2j+4}$. Since A_i is a left child of A_p , A_i could get at most $n/2^{d+j+3} + 12ed \log^2 n$ ones from regions left of A_i , by Lemma 3.2. In addition, A_i and A_{i+1} could inherit at most $\delta(A_p) = n/2^{d+j+3}$ ones from A_p . Thus, if we let N denote the size of A_i , i.e., $N = n/2^{d+1}$, then A_i and A_{i+1} together have at most $N/2^{j+1} + 3N^{1/2} \leq N/2^j$ ones, since we stop the induction when $N < 16e^2 \log^6 n$. By the Little-Region Lemma (4.5), the following condition holds with probability at least $1 - cn^{-4}$,

$$k_1^{(c)} \leq \max\{(2e)^c(1 - \epsilon)^{c+1}N, 4e \log n\},$$

where $k_1^{(c)}$ is the number of one left in A_i after c region compare-exchanges with A_{i+1} , since the region compare-exchange operation is a $(c + 1)$, $(2e)^c$, $4e \log n$ -leveraged-splitter. Note that, if $k_1^{(c)} \leq 4e \log n$, then we have satisfied the desired dirtiness for A_i . Alternatively, so long as $c \geq 4$, and $j \geq 5$, then w.v.h.p.,

$$\begin{aligned} k_1^{(c)} &\leq (2e)^c(1 - \epsilon)^{c+1}N \leq \frac{(2e)^c n}{2^{d+1+j(c+1)}} \\ &\leq \frac{n}{2^{d+1+2j+3}} < 12e \log n = \delta(A_i). \end{aligned}$$

— *Region A_{i+1} .* Consider the worst case for $\delta(A_{i+1})$, namely $\delta(A_{i+1}) = n/2^{d+1+2j+3}$. Since A_{i+1} is a right child of A_p , A_{i+1} could get at most $n/2^{d+j+3} + 12ed \log^2 n$ ones from regions left of A_{i+1} , by Lemma 3.2, plus A_{i+1} could inherit at most $\delta(A_p) = n/2^{d+j+3}$ ones from A_p itself. In addition, since $j > 2$, A_{i+2} could inherit at most $n/2^{d+j+2}$ ones

from its parent. Thus, if we let N denote the size of A_{i+1} , that is, $N = n/2^{d+1}$, then A_{i+1} and A_{i+2} together have at most $N/2^j + 3N^{1/2} \leq N/2^{j-1}$ ones, since we stop the induction when $N < 16e^2 \log^6 n$. By the Little-Region Lemma (4.5), the following condition holds with probability at least $1 - cn^{-4}$,

$$k_1^{(c)} \leq \max\{(2e)^c(1 - \epsilon)^{c+1}N, 4e \log n\},$$

where $k_1^{(c)}$ is the number of ones left in A_{i+1} after c region compare-exchange operations, since the region compare-exchange operation is a $(c + 1, (2e)^c, 4e \log n)$ -leveraged-splitter. Note that, if $k_1^{(c)} \leq 4e \log n$, then we have satisfied the desired dirtiness bound for A_{i+1} . Alternatively, so long as $c \geq 4$, and $j \geq 6$,

$$\begin{aligned} k_1^{(c)} &\leq (2e)^c(1 - \epsilon)^{c+1}N \leq \frac{(2e)^c n}{2^{d+1+(j-1)(c+1)}} \\ &\leq \frac{n}{2^{d+1+2j+2}} < 12e \log n = \delta(A_{i+1}). \end{aligned}$$

Therefore, if a low region A_i or A_{i+1} becomes freshly extreme in iteration $d + 1$, then, w.v.h.p., its dirtiness is at most $12e \log n$. Since there are at most $\log n$ freshly extreme regions created in iteration $d + 1$, this implies that the total dirtiness of all extreme low regions in iteration $d + 1$ is at most $12e(d + 1) \log^2 n$, w.v.h.p., after the right-moving shaker pass, by Claim 1. Likewise, by symmetry, a similar claim applies to the high regions after the left-moving shaker pass. Moreover, by Lemma 3.2, these extreme regions will continue to satisfy Claim 1 after this.

5.2. Non-extreme Regions not Too Close to the Crossover Point

Let us now consider nonextreme regions on level $d + 1$ that are at least two regions away from the crossover point on level $d + 1$. Consider, without loss of general, by a low region, A_p , on level d , which is j regions from the crossover point on level d , with A_p having (low-region) children, A_i and A_{i+1} , that have desired dirtiness bounds of $\delta(A_i) = n/2^{d+1+2j+4}$ or $\delta(A_i) = n/2^{d+1+2j+3}$ and of $\delta(A_{i+1}) = n/2^{d+1+2j+3}$ or $\delta(A_{i+1}) = n/2^{d+1+2j+2}$, depending on whether the mixed region on level $d + 1$ has an odd or even index. By Lemma 3.2, if we can show w.v.h.p. that the dirtiness of each such A_i (respectively, A_{i+1}) is at most $\delta(A_i)/3$ (respectively, $\delta(A_{i+1})/3$), after the shaker pass, then no matter how many more ones come into A_i or A_{i+1} from the left during the rest of iteration $d + 1$, they will satisfy their desired dirtiness bounds.

Let us consider the different region types (always taking the most difficult choice for each desired dirtiness in order to avoid additional cases):

— *Type 1.* $\delta(A_i) = n/2^{d+1+2j+4}$, with $j \geq 2$. Since A_i is a left child of A_p , A_i could get at most $n/2^{d+j+3} + 12ed \log^2 n$ ones from regions left of A_i , by Lemma 3.2. In addition, A_i and A_{i+1} could inherit at most $\delta(A_p) = n/2^{d+j+3}$ ones from A_p . Thus, if we let N denote the size of A_i , i.e., $N = n/2^{d+1}$, then A_i and A_{i+1} together have at most $N/2^{j+1} + 3N^{1/2} \leq N/2^j$ ones, since we stop the induction when $N < 16e^2 \log^6 n$. If $(1 - \epsilon)^{c+1}N/2^{10} \ln(2c - 1) \geq 4 \ln n$, then, by the Fast-Depletion Lemma (4.3), the following condition holds with probability at least $1 - n^{-4}$, provided $c \geq 4$:

$$\begin{aligned} k_1^{(2c-1)} &\leq \frac{(1 - \epsilon)^{c+1}N}{2} \leq \frac{n}{2^{d+1+j(c+1)+1}} \\ &\leq \frac{n}{3 \cdot 2^{d+1+2j+4}} = \delta(A_i)/3, \end{aligned}$$

where $k_1^{(c)}$ is the number of ones left in A_i after c region compare-exchange operations, since the region compare-exchange operation is a $(c + 1, 1/2, 0)$ -leveraged-splitter. If, on the other hand, $(1 - \epsilon)^{c+1}N/2^{10} \ln(2c - 1) < 4 \ln n$, then j is $\Omega(\log \log n)$, so we can assume $j \geq 6$, and, by the Little-Region Lemma (4.5), the following condition holds with probability at least $1 - cn^{-4}$ in this case:

$$k_1^{(c)} \leq \max\{(2e)^c(1 - \epsilon)^{c+1}N, 4e \log n\},$$

since the region compare-exchange operation is a $(c + 1, (2e)^c, 4e \log n)$ -leveraged-splitter. Note that, since A_i is not extreme, if $k_1^{(c)} \leq 4e \log n$, then $k_1^{(c)} \leq \delta(A_i)/3$. Alternatively, so long as $c \geq 4$, then, w.v.h.p.,

$$\begin{aligned} k_1^{(c)} &\leq (2e)^c(1 - \epsilon)^{c+1}N \leq \frac{(2e)^c n}{2^{d+1+j(c+1)}} \\ &\leq \frac{n}{3 \cdot 2^{d+1+2j+4}} = \delta(A_i)/3. \end{aligned}$$

—*Type 2.* $\delta(A_{i+1}) = n/2^{d+1+2j+3}$, with $j > 2$. Since A_{i+1} is a right child of A_p , A_{i+1} could get at most $n/2^{d+j+3} + 12ed \log^2 n$ ones from regions left of A_{i+1} , by Lemma 3.2, plus A_{i+1} could inherit at most $\delta(A_p) = n/2^{d+j+3}$ ones from A_p . In addition, since $j > 2$, A_{i+2} could inherit at most $n/2^{d+j+2}$ ones from its parent. Thus, if we let N denote the size of A_{i+1} , i.e., $N = n/2^{d+1}$, then A_{i+1} and A_{i+2} together have at most $N/2^j + 3N^{1/2} \leq N/2^{j-1}$ ones, since we stop the induction when $N < 16e^2 \log^6 n$. If $(1 - \epsilon)^{c+1}N/2^{10} \ln(2c - 1) \geq 4 \ln n$, then, by the Fast-Depletion Lemma (4.3), the following condition holds with probability at least $1 - n^{-4}$, for a suitably-chosen constant c ,

$$\begin{aligned} k_1^{(2c-1)} &\leq \frac{(1 - \epsilon)^{c+1}N}{2} \leq \frac{n}{2^{d+1+(j-1)(c+1)+1}} \\ &\leq \frac{n}{3 \cdot 2^{d+1+2j+3}} = \delta(A_{i+1})/3, \end{aligned}$$

where $k_1^{(c)}$ is the number of ones left in A_{i+1} after c region compare-exchange operations. If, on the other hand, $(1 - \epsilon)^{c+1}N/2^{10} \ln(2c - 1) < 4 \ln n$, then j is $\Omega(\log \log n)$, so we can now assume $j \geq 6$, and, by the Little-Region Lemma (4.5), the following condition holds with probability at least $1 - cn^{-4}$:

$$k_1^{(c)} \leq \max\{(2e)^c(1 - \epsilon)^{c+1}N, 4e \log n\}.$$

Note that, since A_i is not extreme, if $k_1^{(c)} \leq 4e \log n$, then $k_1^{(c)} \leq \delta(A_{i+1})/3$. Thus, we can choose constant c so that

$$\begin{aligned} k_1^{(c)} &\leq (2e)^c(1 - \epsilon)^{c+1}N \leq \frac{(2e)^c n}{2^{d+1+(j-1)(c+1)}} \\ &\leq \frac{n}{3 \cdot 2^{d+1+2j+3}} = \delta(A_{i+1})/3. \end{aligned}$$

—*Type 3.* $\delta(A_{i+1}) = n/2^{d+1+2j+3}$, with $j = 2$. Since A_{i+1} is a right child of A_p , A_{i+1} could get at most $n/2^{d+j+3} + 12ed \log^2 n$ ones from regions left of A_{i+1} , by Lemma 3.2, plus A_{i+1} could inherit at most $\delta(A_p) = n/2^{d+j+3}$ ones from A_p . In addition, since $j = 2$, A_{i+2} could inherit at most $n/(5 \cdot 2^d)$ ones from its parent. Thus, if we let N denote the size of A_{i+1} , that is, $N = n/2^{d+1}$, then A_{i+1} and A_{i+2} together have at most $N/2^{j+1} + 2N/5 + 3N^{1/2} \leq 3N/5$ ones, since we stop the induction when $N < 16e^2 \log^6 n$. In addition, note that this also implies that as long as c is a constant,

$(1 - \epsilon)^{c+1}N/2^{10} \ln(2c - 1) \geq 4 \ln n$. Thus, by the Fast-Depletion Lemma (4.3), we can choose constant c so that the following condition holds with probability at least $1 - n^{-4}$:

$$\begin{aligned} k_1^{(2c-1)} &\leq \frac{(1 - \epsilon)^{c+1}N}{2} \leq \frac{3^{c+1}n}{5^{c+1}2^{d+2}} \\ &\leq \frac{n}{3 \cdot 2^{d+1+2j+3}} = \delta(A_{i+1})/3, \end{aligned}$$

where $k_1^{(c)}$ is the number of ones left in A_{i+1} after c region compare-exchange operations.

- *Type 4.* $\delta(A_i) = n/2^{d+1+2j+4}$, with $j = 1$. Since A_i is a left child of A_p , A_i could get at most $n/2^{d+j+2} + 12ed \log^2 n$ ones from regions left of A_i , by Lemma 3.2, plus A_i and A_{i+1} could inherit at most $\delta(A_p) = n/(5 \cdot 2^d)$ ones from A_p . Thus, if we let N denote the size of A_i , that is, $N = n/2^{d+1}$, then A_i and A_{i+1} together have at most $N/2^{j+1} + 2N/5 + 3N^{1/2} \leq 7N/10$ ones, since we stop the induction when $N < 16e^2 \log^6 n$. In addition, note that this also implies that as long as c is a constant, $(1 - \epsilon)^{c+1}N/2^{10} \ln(2c - 1) \geq 4 \ln n$. Thus, by the Fast-Depletion Lemma (4.3), the following condition holds with probability at least $1 - n^{-4}$, for a suitably chosen constant c ,

$$\begin{aligned} k_1^{(2c-1)} &\leq \frac{(1 - \epsilon)^{c+1}N}{2} \leq \frac{7^{c+1}n}{10^{c+1}2^{d+2}} \\ &\leq \frac{n}{3 \cdot 2^{d+1+2j+4}} = \delta(A_i)/3, \end{aligned}$$

where $k_1^{(c)}$ is the number of ones left in A_i after c region compare-exchange operations.

Thus, A_i and A_{i+1} satisfy their respective desired dirtiness bounds w.v.h.p., provided they are at least two regions from the mixed region or crossover point.

5.3. Regions Near the Crossover Point

Consider now regions near the crossover point. That is, each region with a parent that is mixed, bordering the crossover point, or next to a region that either contains or borders the crossover point. Let us focus specifically on the case when there is a mixed region on levels d and $d + 1$, as it is the most difficult of these scenarios.

So, having dealt with all the other regions, which have their desired dirtiness satisfied after the shaker pass, we are left with four regions near the crossover point, which we will refer to as A_1, A_2, A_3 , and A_4 . One of A_2 or A_3 is mixed—without loss of generality, let us assume A_3 is mixed. At this point in the algorithm, we perform a brick-type pass, which, from the perspective of these four regions, amounts to a complete 4-tournament. Note that, by the results of the shaker pass (which were proved above), we have at this point pushed to these four regions all but at most $n/2^{d+7} + 12e(d + 1) \log^2 n$ of the ones and all but at most $n/2^{d+6} + 12e(d + 1) \log^2 n$ of the zeroes. Moreover, these bounds will continue to hold (and could even improve) as we perform the different steps of the brick-type pass. Thus, at the beginning of the 4-tournament for these four regions, we know that the four regions hold between $2N - N/32 - 3N^{1/2}$ and $3N + N/64 + 3N^{1/2}$ zeroes and between $N - N/64 - 3N^{1/2}$ and

$2N + N/32 + 3N^{1/2}$ ones, where $N = n/2^{d+1} > 16e^2 \log^6 n$. For each region compare-exchange operation, we distinguish three possible outcomes.

- *balanced*. A_i and A_{i+j} have between $31N/32$ and $33N/32$ zeroes (and ones). In this case, the Startup Lemma (4.7) implies that A_i will get at least $31N/32 - N/6$ zeroes and at most $N/32 + N/6$ ones, and A_{i+j} will get at least $31N/32 - N/6$ ones and at most $N/32 + N/6$ zeroes, w.v.h.p.
- *0-heavy*. A_i and A_{i+j} have at least $33N/32$ zeroes. In this case,³ by the Slow-Depletion Lemma (4.9), A_i will get at most $N/20$ ones, w.v.h.p., with appropriate choice for c .
- *1-heavy*. A_i and A_{i+j} have at least $33N/32$ ones. In this case, by the Slow-Depletion Lemma (4.9), A_{i+j} will get at most $N/20$ zeroes, w.v.h.p., with appropriate choice for c .

Let us focus on the four regions, A_1, A_2, A_3 , and A_4 , and consider the region compare-exchange operations that each region participates in as a part of the 4-tournament for these four.

- A_1 . This region is compared to A_4, A_3 , and A_2 , in this order. If the first of these is 0-heavy, then we already will satisfy A_1 's desired dirtiness bound (which can only improve after this). If the first of these comparisons is balanced, on the other hand, then A_1 ends up with at least $31N/32 - N/6 \approx 0.802N$ zeroes (and A_4 will have at most $N/32 + N/6 \approx 0.198N$). Since there are at least $2N - N/32 - 3N^{1/2} \approx 1.9N$ zeroes distributed among the four regions, this forces one of the comparisons with A_3 or A_2 to be 0-heavy, which will cause A_1 to satisfy its desired dirtiness.
- A_2 . This region is compared to A_4, A_1 , and A_3 , in this order. Note, therefore, that it does its comparisons with A_4 and A_3 after A_1 . But even if A_1 receives N zeroes, there are still at least $31N/32 - 3N^{1/2}$ zeroes that would be left. Thus, even under this worst-case scenario (from A_2 's perspective), the comparisons with A_2 and A_4 will be either balanced or 1-heavy. If one of them is balanced (and even if A_1 is full of zeroes), then A_2 gets at least $31N/32 - N/6 \approx 0.802N$ zeroes. If they are both 1-heavy, then A_2 and A_3 end up with at most $N/20$ zeroes each, which leaves A_2 with at least $31N/32 - N/10 \approx 0.869N$ zeroes, w.v.h.p.
- A_3 . By assumption, A_3 is mixed, so it automatically satisfies its desired dirtiness bound.
- A_4 . This region is compared to A_1, A_2 , and A_3 , in this order. If any of these is balanced or 1-heavy, then we satisfy the desired dirtiness bound for A_4 . If they are all 0-heavy, then each of them ends up with at most $N/20$ ones each, which implies that A_4 ends up with at least $N - N/64 - 3N/20 - 3N^{1/2} \approx 0.81N$ ones, w.v.h.p., which also satisfies the desired dirtiness bound for A_4 .

Thus, after the brick-type pass of iteration $d + 1$, we will have satisfied Claim 1 w.v.h.p. In particular, we have proved that each region satisfies Claim 1 after iteration $d + 1$ with a failure probability of at most $O(n^{-4})$, for each region compare-exchange operation we perform. Thus, since there are $O(n)$ such regions per iteration, this implies any iteration will fail with probability at most $O(n^{-3})$. Therefore, since there are $O(\log n)$ iterations, and we lose only an $O(n)$ factor in our failure probability when we apply the probabilistic zero-one principle (Lemma 3.1), when we complete the first phase of our randomized Shellsort algorithm, the array A will be $O(\text{polylog}(n))$ -nearsorted w.v.h.p., in which case the postprocessing step will complete the sorting of A . That is, this completes the proof of Theorem 3.3.

³The constant factor can be improved somewhat by first applying the Startup Lemma and then applying the Slow-Depletion Lemma.

```

import java.util.*;
public class ShellSort {
    public static final int C=4; // number of region compare-exchange repetitions
    public static void exchange(int[] a, int i, int j) {
        int temp = a[i];
        a[i] = a[j];
        a[j] = temp;
    }
    public static void compareExchange(int[] a, int i, int j) {
        if (((i < j) && (a[i] > a[j])) || ((i > j) && (a[i] < a[j])))
            exchange(a, i, j);
    }
    public static void permuteRandom(int a[], MyRandom rand) {
        for (int i=0; i<a.length; i++) // Use the Knuth random perm. algorithm
            exchange(a, i, rand.nextInt(a.length-i)+i);
    }
    // compare-exchange two regions of length offset each
    public static void compareRegions(int[] a, int s, int t, int offset, MyRandom rand) {
        int mate[] = new int[offset]; // index offset array
        for (int count=0; count<C; count++) { // do C region compare-exchanges
            for (int i=0; i<offset; i++) mate[i] = i;
            permuteRandom(mate,rand); // comment this out to get a deterministic Shellsort
            for (int i=0; i<offset; i++)
                compareExchange(a, s+i, t+mate[i]);
        }
    }
    public static void randomizedShellSort(int[] a) {
        int n = a.length; // we assume that n is a power of 2
        MyRandom rand = new MyRandom(); // random number generator (not shown)
        for (int offset = n/2; offset > 0; offset /= 2) {
            for (int i=0; i < n - offset; i += offset) // compare-exchange up
                compareRegions(a,i,i+offset,offset,rand);
            for (int i=n-offset; i >= offset; i -= offset) // compare-exchange down
                compareRegions(a,i-offset,i,offset,rand);
            for (int i=0; i < n-3*offset; i += offset) // compare 3 hops up
                compareRegions(a,i,i+3*offset,offset,rand);
            for (int i=0; i < n-2*offset; i += offset) // compare 2 hops up
                compareRegions(a,i,i+2*offset,offset,rand);
            for (int i=0; i < n; i += 2*offset) // compare odd-even regions
                compareRegions(a,i,i+offset,offset,rand);
            for (int i=offset; i < n-offset; i += 2*offset) // compare even-odd regions
                compareRegions(a,i,i+offset,offset,rand);
        }
    }
}

```

Fig. 5. Our randomized Shellsort algorithm in Java. Note that, just by commenting out the call to `permuteRandom`, on line 22, in `compareRegions`, this becomes a deterministic Shellsort implementation.

6. IMPLEMENTATION AND EXPERIMENTS

As an existence proof for its ease of implementation, we provide a complete Java program for randomized Shellsort in Figure 5.

Given this implementation, we explored empirically the degree to which the success of the algorithm depends on the constant c , which indicates the number of times to perform random matchings in a region compare-exchange operation. We began with $c = 1$, with the intention of progressively increasing c until we determined the value of c that would lead to failure rate of at most 0.1% in practice. Interestingly, however, $c = 1$ already achieved over a 99.9% success rate in all our experiments.

So, rather than incrementing c , we instead kept $c = 1$ and tested the degree to which the different parts of the brick-type pass were necessary, since previous experimental work exists for shaker passes [Brejová 2001; Incerpi and Sedgewick 1987, 1985; Weiss and Sedgewick 1988]. The first experiment tested the failure percentages of 10,000 runs of randomized Shellsort on random inputs of various sizes, while optionally omitting the various parts of the brick pass while keeping $c = 1$ for region compare-exchange operations and always doing the shaker pass. The failure rates were as follows:

n	no brick pass	no short jumps	no long jumps	full pass
128	68.18%	33.92%	0.01%	0%
256	93.27%	60.11%	0%	0%
512	99.86%	85.62%	0%	0%
1024	100.00%	98.27%	0.01%	0%
2048	100.00%	99.98%	0.03%	0%
4096	100.00%	100.00%	0.17%	0%
8192	100.00%	100.00%	0.14%	0%
16384	100.00%	100.00%	0.35%	0%
32768	100.00%	100.00%	0.71%	0%
65536	100.00%	100.00%	1.53%	0%
131072	100.00%	100.00%	2.55%	0%
262144	100.00%	100.00%	5.29%	0%
524288	100.00%	100.00%	10.88%	0.01%
1048576	100.00%	100.00%	21.91%	0%

Thus, the need for brick-type passes when $c = 1$ is established empirically from this experiment, with a particular need for the short jumps (i.e., the ones between adjacent regions), but with long jumps still being important.

We next continued the experiment on larger arrays, testing 1,000 runs of randomized Shellsort on random inputs of various sizes, tabulating the failure percentages for performing short-jumps only and full-brick passes. The failure rates were as follows:

n	short-jumps only	full brick pass
2097152	34.9%	0%
4194304	59.4%	0%

7. CONCLUSION AND OPEN PROBLEMS

We have given a simple, randomized Shellsort algorithm that runs in $O(n \log n)$ time and sorts any given input permutation with very high probability. This algorithm can

alternatively be viewed as a randomized construction of a simple compare-exchange network that has $O(n \log n)$ size and sorts with very high probability. Its depth is not as asymptotically shallow as the AKS sorting network [Ajtai et al. 1983] and its improvements [Paterson 1990; Seiferas 2009], but its constant factors are much smaller and it is quite simple, making it an alternative to the randomized sorting-network construction of Leighton and Plaxton [1998]. Some open questions and directions for future work include the following.

- For what values of μ , α , and β can one deterministically and effectively construct (μ, α, β) -leveraged-splitters?
- Is there a simple deterministic $O(n \log n)$ -sized sorting network?
- Can the randomness needed for a randomized Shellsort algorithm be reduced to a polylogarithmic number of bits while retaining a very high probability of sorting?
- Can the shaker pass in our randomized Shellsort algorithm be replaced by a lower-depth network, thereby achieving polylogarithmic depth while keeping the overall $O(n \log n)$ size and very high probability of sorting?
- Can the constant factors in the running time for a randomized Shellsort algorithm be reduced to be at most 2 while still maintaining the overall $O(n \log n)$ size and very high probability of sorting?

ACKNOWLEDGMENTS

We would like to thank Martin Dietzfelbinger and Ralf Rothenberger for several helpful comments regarding an earlier version of this paper. We are also thankful to Bob Sedgewick and an anonymous referee for several of the open problems.

REFERENCES

- AJTAI, M., KOMLÓS, J., AND SZEMERÉDI, E. 1983. Sorting in $c \log n$ parallel steps. *Combinatorica* 3, 1–19.
- ARORA, S., LEIGHTON, T., AND MAGGS, B. 1990. On-line algorithms for path selection in a nonblocking network. In *Proceedings of the 22nd ACM Symposium on Theory of Computing (STOC'90)*. ACM, New York, 149–158.
- ASSAF, S. AND UPFAL, E. 1991. Fault tolerant sorting networks. *SIAM J. Disc. Math.* 4, 4, 472–480.
- ATALLAH, M. J., FREDERICKSON, G. N., AND KOSARAJU, S. R. 1988. Sorting with efficient use of special-purpose sorters. *Inf. Process. Lett.* 27, 1, 13–15.
- BEIGEL, R. AND GILL, J. 1990. Sorting n objects with a k -sorter. *IEEE Trans. Comput.* 39, 714–716.
- BEN-DAVID, A., NISAN, N., AND PINKAS, B. 2008. FairplayMP: A system for secure multi-party computation. In *Proceedings of the 15th ACM Conference on Computer and Communications Security (CCS'08)*. ACM, New York, 257–266.
- BLACKSTON, D. T. AND RANADE, A. 1993. Snakesort: A family of simple optimal randomized sorting algorithms. In *Proceedings of the International Conference on Parallel Processing (ICPP'93)*. IEEE Computer Society, Los Alamitos, CA, 201–204.
- BRAVERMAN, M. AND MOSSEL, E. 2008. Noisy sorting without resampling. In *Proceedings of the 19th ACM-SIAM Symposium on Discrete Algorithms (SODA'08)*. SIAM, Philadelphia, PA, 268–276.
- BREJOVÁ, B. 2001. Analyzing variants of Shellsort. *Inf. Proc. Lett.* 79, 5, 223 – 227.
- CANETTI, R., LINDELL, Y., OSTROVSKY, R., AND SAHAI, A. 2002. Universally composable two-party and multi-party secure computation. In *Proceedings of the 34th Annual ACM Symposium on Theory of Computing (STOC'02)*. ACM, New York, 494–503.
- COLE, R. 1988. Parallel merge sort. *SIAM J. Comput.* 17, 4, 770–785.
- CORMEN, T. H., LEISERSON, C. E., RIVEST, R. L., AND STEIN, C. 2001. *Introduction to Algorithms* 2nd Ed. MIT Press, Cambridge, MA.
- CYPHER, R. 1993. A lower bound on the size of Shellsort sorting networks. *SIAM J. Comput.* 22, 1, 62–71.
- DOBOSIEWICZ, W. 1980. An efficient variation of bubble sort. *Inf. Process. Lett.* 11, 1, 5–6.
- DU, W. AND ATALLAH, M. J. 2001. Secure multi-party computation problems and their applications: A review and open problems. In *Proceedings of the Workshop on New Security Paradigms (NSPW'01)*. ACM, New York, 13–22.

- DU, W. AND ZHAN, Z. 2002. A practical approach to solve secure multi-party computation problems. In *Proceedings of the Workshop on New Security Paradigms (NSPW'02)*. ACM, New York, 127–135.
- FEIGE, U., RAGHAVAN, P., PELEG, D., AND UPFAL, E. 1994. Computing with noisy information. *SIAM J. Comput.* 23, 5, 1001–1018.
- FRANCESCHINI, G., MUTHUKRISHNAN, S., AND PĂTRAȘCU, M. 2007. Radix sorting with no extra space. In *Proceedings of the European Symposium on Algorithms (ESA)*. 194–205.
- GOODRICH, M. T. 2009. The mastermind attack on genomic data. In *Proceedings of the IEEE Symposium on Security and Privacy*. IEEE, 204–218.
- GOODRICH, M. T. AND KOSARAJU, S. R. 1996. Sorting on a parallel pointer machine with applications to set expression evaluation. *J. ACM* 43, 2, 331–361.
- GOODRICH, M. T. AND TAMASSIA, R. 2002. *Algorithm Design: Foundations, Analysis, and Internet Examples*. Wiley, New York.
- HOEFFDING, W. 1963. Probability inequalities for sums of bounded random variables. *J. AMS Statistical Association* 58, 301, 13–30.
- INCERPI, J. AND SEDGEWICK, R. 1985. Improved upper bounds on Shellsort. *J. Comput. Syst. Sci.* 31, 2, 210–224.
- INCERPI, J. AND SEDGEWICK, R. 1987. Practical variations of Shellsort. *Inf. Process. Lett.* 26, 1, 37–43.
- JIANG, T., LI, M., AND VITÁNYI, P. 2000. A lower bound on the average-case complexity of Shellsort. *J. ACM* 47, 5, 905–911.
- KNUTH, D. E. 1973. *Sorting and Searching*. The Art of Computer Programming, vol. 3. Addison-Wesley, Reading, MA.
- LEIGHTON, F. T. 1992. *Introduction to Parallel Algorithms and Architectures: Arrays, Trees, Hypercubes*. Morgan-Kaufmann, San Francisco, CA.
- LEIGHTON, T. 1985. Tight bounds on the complexity of parallel sorting. *IEEE Trans. Comput.* 34, 4, 344–354.
- LEIGHTON, T. AND PLAXTON, C. G. 1998. Hypercubic sorting networks. *SIAM J. Comput.* 27, 1, 1–47.
- MAGGS, B. M. AND VÖCKING, B. 2000. Improved routing and sorting on multibutterflies. *Algorithmica* 28, 4, 438–437.
- MALKHI, D., NISAN, N., PINKAS, B., AND SELLA, Y. 2004. Fairplay—A secure two-party computation system. In *Proceedings of the 13th Conference on USENIX Security Symposium (SSYM'04)*. USENIX Association, Berkeley, CA, 20–20.
- MAURER, U. 2006. Secure multi-party computation made simple. *Disc. Appl. Math.* 154, 2, 370–381.
- MCGEOCH, C., SANDERS, P., FLEISCHER, R., COHEN, P. R., AND PRECUP, D. 2002. Using finite experiments to study asymptotic performance. In *Experimental algorithmics: From Algorithm Design to Robust and Efficient Software*. Springer-Verlag, Berlin, Germany, 93–126.
- MITZENMACHER, M. AND UPFAL, E. 2005. *Probability and Computing: Randomized Algorithms and Probabilistic Analysis*. Cambridge University Press, Cambridge, UK.
- MOTWANI, R. AND RAGHAVAN, P. 1995. *Randomized Algorithms*. Cambridge University Press, Cambridge, UK.
- PATERSON, M. 1990. Improved sorting networks with $O(\log N)$ depth. *Algorithmica* 5, 1, 75–92.
- PLAXTON, C. G. AND SUEL, T. 1997. Lower bounds for Shellsort. *J. Algorithms* 23, 2, 221–240.
- PRATT, V. R. 1972. Shellsort and sorting networks. Ph.D. thesis, Stanford University, Palo Alto, CA.
- RAJASEKARAN, S. AND SEN, S. 2005. PDM sorting algorithms that take a small number of passes. In *Proceedings of the 19th IEEE International Parallel and Distributed Processing Symposium (IPDPS'05) (Papers)*. IEEE Computer Society, Los Alamitos, CA, 10.
- REIF, J. H. 1985. An optimal parallel algorithm for integer sorting. In *Proceedings of the 26th Annual Symposium on Foundations of Computer Science (SFCS'85)*. IEEE Computer Society, Los Alamitos, CA, 496–504.
- SANDERS, P. AND FLEISCHER, R. 2001. Asymptotic complexity from experiments? A case study for randomized algorithms. In *Proceedings of the 4th International Workshop on Algorithm Engineering (WAE'00)*. Springer-Verlag, Berlin, Germany, 135–146.
- SCHERSON, I. D. AND SEN, S. 1989. Parallel sorting in two-dimensional VLSI models of computation. *IEEE Trans. Comput.* 38, 2, 238–249.
- SEDEWICK, R. 1992. *Algorithms in C++*. Addison-Wesley, Reading, MA.

- SEDFEWICK, R. 1996. Analysis of Shellsort and related algorithms. In *Proceedings of the 4th Annual European Symposium on Algorithms (ESA'96)*. Springer-Verlag, Berlin, Germany, 1–11.
- SEIFERAS, J. 2009. Sorting networks of logarithmic depth, further simplified. *Algorithmica* 53, 3, 374–384.
- SHAVIT, N., UPPAL, E., AND ZEMACH, A. 1997. A wait-free sorting algorithm. In *Proceedings of the ACM Symposium on Principles of Distributed Computing (PODC)*. ACM, 121–128.
- SHELL, D. L. 1959. A high-speed sorting procedure. *Comm. ACM* 2, 7, 30–32.
- WEISS, M. A. AND SEDGEWICK, R. 1988. Bad cases for shaker-sort. *Inf. Proc. Lett.* 28, 3, 133–136.

Received January 2010; revised June 2011; accepted August 2011