

- 1.. 8:00 Yathish Gangolli
2. 9:30 Madhur Bajaj
3. 11:00 Madhur Bajaj
4. 12:30 Yathish Gangolli
5. 2:00 Shreya Chippagiri
6. 3:30 Shreya Chippagiri
7. 5:00 Pratik Shetty
8. 6:30 Pratik Shetty

# Second Midterm

You have 75 minutes (until the end of the class period) to complete this exam. There are 60 points possible, so allow approximately one minute per point and you'll have plenty of time left over.

Please read all the problems carefully. If you have a question on what a problem means or what it calls for, ask us. Unless a problem specifically asks about errors, you should assume that each problem is correct and solvable; ask us if you believe otherwise.

In answering these questions, you may use any Python 3 features we have covered in class, in the text, in the lab assignments, or earlier on the exam, unless a problem says otherwise. Use more advanced features at your own risk; you must use them correctly. If a question asks for a single item (e.g., one word, identifier, or constant), supplying more than one will probably not receive credit.

Remember, stay cool! If you run into trouble on a problem, go on to the next one. Later on, you can go back if you have time. Don't let yourself get stuck on any one problem.

You may not share any information or materials with classmates during the exam and you may not use any electronic devices.

Please write your answers clearly and neatly—we can't give you credit if we can't decipher what you've written.

We'll give partial credit for partially correct answers, so writing something is better than writing nothing. But be sure to answer just what the question asks.

Good luck!

**Problem 1**  
(10 points)

**Problem 2**  
(3 points)

**Problem 3**  
(12 points)

**Problem 4**  
(4 points)

**Problem 5**  
(19 points)

**Problem 6**  
(12 points)

**Total**  
(60 points)

**Problem 1** (10 points)

The ZotCare Clinic asked you to computerize their business. You represent each of their doctors with:

```
Doctor = namedtuple('Doctor', 'name specialty price visits')
```

where the name and specialty are strings, the price is a float (the cost of an office visit), and visits is an int (the number of patient visits to this doctor's office in the past month). You will keep track of each patient at the clinic with

```
Patient = namedtuple('Patient', 'name phone deductible docs')
```

where the name and phone are strings, the deductible is a float (the amount the patient has to pay before insurance covers the rest), and docs is a list of Doctors that the patient has seen in the last month.

Use the following definitions in this problem:

```
DrAA = Doctor('Anteater, Andrew', 'Pediatrics', 125.00, 300)
DrBB = Doctor('Bear, Betsy', 'Cardiology', 225.00, 150)
DrCC = Doctor('Cheetah, Charles', 'Geriatrics', 99.50, 200)
DrDD = Doctor('Dingo, Diana', 'Orthopedics', 235.00, 220)
DrEE = Doctor('Echidna, Edith', 'Pediatrics', 145.00, 250)

pV = Patient('Vicuna, Vicki', '444-3333', 1000.00, [DrAA])
pW = Patient('Wallaby, Walter', '333-4444', 250.00, [DrBB, DrCC, DrEE])
pY = Patient('Yak, Yetta', '444-4444', 500.00, [DrBB, DrCC])
pZ = Patient('Zebra, Zoltan', '333-3344', 300.00, [DrAA, DrCC, DrDD, DrEE])

PatientBase = [pV, pW, pY, pZ]
```

(a) (5 points) Below are 10 Python expressions. Indicate the data type of each expression by checking the appropriate box.

- (a.1)  int  float  bool  str  function  Doctor  Patient  list of Doctor  list of Patient  
pY
- (a.2)  int  float  bool  str  function  Doctor  Patient  list of Doctor  list of Patient  
pZ.deductible
- (a.3)  int  float  bool  str  function  Doctor  Patient  list of Doctor  list of Patient  
pZ.docs
- (a.4)  int  float  bool  str  function  Doctor  Patient  list of Doctor  list of Patient  
PatientBase[2]
- (a.5)  int  float  bool  str  function  Doctor  Patient  list of Doctor  list of Patient  
pW.docs[0:2]
- (a.6)  int  float  bool  str  function  Doctor  Patient  list of Doctor  list of Patient  
DrCC
- (a.7)  int  float  bool  str  function  Doctor  Patient  list of Doctor  list of Patient  
DrEE.specialty
- (a.8)  int  float  bool  str  function  Doctor  Patient  list of Doctor  list of Patient  
PatientBase[3].docs
- (a.9)  int  float  bool  str  function  Doctor  Patient  list of Doctor  list of Patient  
PatientBase[0].docs[0].price
- (a.10)  int  float  bool  str  function  Doctor  Patient  list of Doctor  list of Patient  
pW.docs[2].name[0]

**(b)** (5 points) Give the *value* of each of these expressions, based on the definitions above. Remember zero-based indexing.

pZ.deductible

PatientBase[1].docs[0].price

PatientBase[2].name

DrBB.specialty

pW.docs[2].name[0]

### Problem 2 (3 points)

These definitions appeared earlier on this exam:

```
Doctor = namedtuple('Doctor', 'name specialty price visits')
DrAA = Doctor('Anteater, Andrew', 'Pediatrics', 125.00, 300)
DrBB = Doctor('Bear, Betsy', 'Cardiology', 225.00, 150)
DrCC = Doctor('Cheetah, Charles', 'Geriatrics', 99.50, 200)
DrDD = Doctor('Dingo, Diana', 'Orthopedics', 235.00, 220)
DrEE = Doctor('Echidna, Edith', 'Pediatrics', 145.00, 250)
```

Suppose we have a list (called DL) of all the Doctors and we wish to produce a report on their revenues this month. We'd like the report to look like this:

Doctor	Price	Visits	Revenue
-----	-----	-----	-----
Anteater, Andrew	\$125.00	300	\$ 37500.00
Bear, Betsy	\$225.00	150	\$ 33750.00
Cheetah, Charles	\$ 99.50	200	\$ 19900.00
Dingo, Diana	\$235.00	220	\$ 51700.00
Echidna, Edith	\$145.00	250	\$ 36250.00

You could print the table with code like this:

```
DL = [DrAA, DrBB, DrCC, DrDD, DrEE]

print('Doctor           Price  Visits    Revenue')
print('-----          -')
for d in DL:
    print(format_string)
```

Which one of the following values of `format_string` would format the lines correctly? Circle the one correct answer.

- A. `f"{d.name:20s} ${d.price:6.2f} {d.visits:4d} ${d.price * d.visits:9.2f}"`
- B. `f"{d.name} ${d.price:6.2f} {d.visits:6d} ${d.price * d.visits:9.2f}"`
- C. `f"{d.name:20s} ${d.price:6.2f} {d.visits:4d} ${d.price * d.visits:9.1f}"`
- D. `f"{d.name:20s} ${d.price:6.2f} {d.visits:6d} ${d.price * d.visits:9.2f}"`
- E. `f"{d.name:20s} ${d.price:0.2f} {d.visits:6d} ${d.price * d.visits:0.2f}"`

**Problem 3** (12 points)

For this problem, use these definitions:

```
S = [200, 800, 1000]
T = ['turkey', 'stuffing', 'pumpkin', 'cranberry']
```

Match each of the following code segments ((a) through (d)) with the results (A through I) they produce when run in Python. You may use some results (A through I) more than once.

(a) Circle one: A B C D E F G H I

```
i = 0
for n in range(len(S)):
    print(S[n], n)
    i = i + S[n]
print('End', i)
```

(b) Circle one: A B C D E F G H I

```
for f in T:
    print(f, len(f))
print('End', len(T))
```

(c) Circle one: A B C D E F G H I

```
n = 0
for i in S:
    n += i
    print(i, n)
print('End', n)
```

(d) Circle one: A B C D E F G H I

```
for c in T[0]:
    print(T[0], c)
print('End', len(T[0]))
```

**A.**

```
200 200
800 1000
1000 2000
End 2000
```

**B.**

```
t 0
u 1
r 2
k 3
e 4
y 5
End 6
```

**C.**

```
200 200
1000 800
2000 1000
End 2000
```

**D.**

```
turkey 4
stuffing 4
pumpkin 4
cranberry 4
End 4
```

**E.**

```
200 0
800 1
1000 2
End 2000
```

**F.**

```
turkey 6
stuffing 8
pumpkin 7
cranberry 9
End 4
```

**G.**

```
0 200
1 800
2 1000
2000 End
```

**H.**

```
turkey t
turkey u
turkey r
turkey k
turkey e
turkey y
End 6
```

**I.**

```
turkey t
turkey tu
turkey tur
turkey turk
turkey turke
turkey turkey
End 6
```

**Problem 4** (4 points)

For this problem, use these definitions (which are the same as earlier on this exam):

```

Doctor = namedtuple('Doctor', 'name specialty price visits')

Patient = namedtuple('Patient', 'name phone deductible docs')

DrAA = Doctor('Anteater, Andrew', 'Pediatrics', 125.00, 300)
DrBB = Doctor('Bear, Betsy', 'Cardiology', 225.00, 150)
DrCC = Doctor('Cheetah, Charles', 'Geriatrics', 99.50, 200)
DrDD = Doctor('Dingo, Diana', 'Orthopedics', 235.00, 220)
DrEE = Doctor('Echidna, Edith', 'Pediatrics', 145.00, 250)

```

Choose which one of the following code segments (A through D) correctly completes the definition of the function below, consistent with its header, docstring comment, and assertions. Only one code segment is correct.

```

def count_specialists(DL: 'list of Doctor', spec_to_count: str) -> int:
    ''' Return the number of Doctors on the list with the specified specialty.
    '''

```

— *Insert one of the code segments A–D here* —

```

assert count_specialists([DrAA, DrBB, DrCC, DrDD, DrEE], 'Pediatrics') == 2
assert count_specialists([DrAA, DrBB, DrCC, DrDD, DrEE], 'Orthopedics') == 1
assert count_specialists([DrAA, DrBB, DrCC, DrDD, DrEE], 'Psychiatry') == 0

```

A. 

```
total = 0
for d in DL:
    if d.specialty == spec_to_count:
        total = total + 1
return total
```

B. 

```
total = 0
for d in DL:
    if d.specialty == spec_to_count:
        total = total + 1
    return total
```

C. 

```
total = 0
for d in DL:
    if d.specialty == spec_to_count:
        total = total + 1
return total
```

D. 

```
for d in DL:
    if d.specialty == spec_to_count:
        total = total + 1
return total
```

**Problem 5** (19 points)

For full credit on this problem, use the definitions below (which are the same as earlier on this exam) and any other definitions on this exam that are appropriate:

```

Doctor = namedtuple('Doctor', 'name specialty price visits')

Patient = namedtuple('Patient', 'name phone deductible docs')

DrAA = Doctor('Anteater, Andrew', 'Pediatrics', 125.00, 300)
DrBB = Doctor('Bear, Betsy', 'Cardiology', 225.00, 150)
DrCC = Doctor('Cheetah, Charles', 'Geriatrics', 99.50, 200)
DrDD = Doctor('Dingo, Diana', 'Orthopedics', 235.00, 220)
DrEE = Doctor('Echidna, Edith', 'Pediatrics', 145.00, 250)

pV = Patient('Vicuna, Vicki', '444-3333', 1000.00, [DrAA])
pW = Patient('Wallaby, Walter', '333-4444', 250.00, [DrBB, DrCC, DrEE])
pY = Patient('Yak, Yetta', '444-4444', 500.00, [DrBB, DrCC])
pZ = Patient('Zebra, Zoltan', '333-3344', 300.00, [DrAA, DrCC, DrDD, DrEE])

PatientBase = [pV, pW, pY, pZ]

```

(a) (3 points) Complete the definition of the function below, consistent with its header, docstring comment, and assertions, by filling each blank with exactly one identifier, operator, or constant.

```

def specialists_seen(pt: Patient, spec: str) -> int:
    ''' The second argument is the name of a medical specialty. Return the number of
        doctors with that specialty that have been seen by this patient.
    '''
    return _____ (pt._____, _____)

assert specialists_seen(pZ, 'Pediatrics') == 2
assert specialists_seen(pZ, 'Geriatrics') == 1
assert specialists_seen(pZ, 'Cardiology') == 0

```

(b) (6 points) Complete the definition of the function below, consistent with its header, docstring comment, and assertions, by filling each blank with exactly one identifier, operator, or constant.

```

def total_cost_of_visits(pt: Patient) -> float:
    ''' Return the total cost of this patient's doctor visits (ignoring deductible)
    '''
    sum = _____
    for doc in _____:
        sum += _____ . _____
    return _____

assert total_cost_of_visits(pV) == 125.00
assert total_cost_of_visits(pZ) == 125 + 99.50 + 235 + 145

```

(c) (3 points) Complete the definition of the function below, consistent with its header, docstring comment, and assertions, by filling each blank with exactly one identifier, operator, or constant.

```

def over_deductible(pt: Patient) -> bool:
    ''' Return True if the patient has spent more on doctor visits than his or her
        deductible amount, and False otherwise.
    '''
    return _____ (_____) > _____ .deductible

assert over_deductible(pZ)
assert not over_deductible(pV)

```

**(d)** (7 points) Complete the definition of the function below, consistent with its header, docstring comment, and assertions, by filling each blank with exactly one identifier, operator, or constant.

```
def average_cost(PList: 'list of Patient') -> float:
    ''' Return the average cost per patient of doctor visits
    '''
    total = _____
    for pt in _____:
        total += _____(_____)
    return _____ / _____(_____)

assert average_cost(PatientBase) == (125+ 225+99.5+145+ 225+99.5+ 125+99.5+235+145)/4
```

### Problem 6 (12 points)

The following excerpt from `help(str)` may be useful for this problem.

<pre>find(...)     S.find(sub) -&gt; int     Return the lowest index in S where     substring sub is found.     Return -1 on failure.</pre>	<pre>strings of equal length, and in the resulting dictionary, each character in x will be mapped to the character at the same position in y.</pre>
<pre>replace(...)     S.replace(old, new) -&gt; str     Return a copy of S with all     occurrences of substring old replaced     by new.</pre>	<pre>translate(...)     S.translate(table) -&gt; str     Return a copy of the string S, where     all characters have been mapped     through the given translation table.     Unmapped characters are left     untouched.</pre>
<pre>maketrans(...)     str.maketrans(x, y) -&gt;         dict (static method)     Return a translation table usable for     translate(). The arguments must be</pre>	<pre>upper(...)     S.upper() -&gt; str     Return a copy of S converted to     uppercase.</pre>

Classified (secret) documents are occasionally released to the public with the names of specific people and places X'd out (to protect sources of information, for example). Thus, a message like "M sent James Bond to Berlin" might be transformed to "X sent Xxxxx Xxx to Xxxxxx". This process is called "redaction"; we redact the original message to produce a redacted version (with certain words obscured).

*[Problem continues on the next page]*

(a) (3 points) First let's produce the replacement string for a single term we want to redact.

```
def redact_term (name: str) -> str:
    ''' Return the name with each letter replaced with X or x (according to
        ... its original upper or lower case) and other characters unchanged.
        ...
    alphabet = 'abcdefghijklmnopqrstuvwxyz'
    x_string = 'xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx'
    ALPHABET = alphabet.upper()
    X_STRING = x_string.upper()

    table = _____

    return name.translate(table)

assert redact_term("") == ""
assert redact_term("Huey") == "Xxxx"
assert redact_term("duck duck Goose") == "xxxx xxxx Xxxxx"
assert redact_term("1600 Pennsylvania Avenue") == "1600 XXXXXXXXXXXXX XXXXXX"
```

Which of the five expressions below could go into the blank in `redact_term` to produce correct results consistent with the function header, docstring, and assertions? Circle *one or more* of A, B, C, D, and E; more than one may be correct.

- A. `str.maketrans(alphabet+ALPHABET, x_string+X_STRING)`
- B. `str.maketrans(ALPHABET+alphabet, x_string+X_STRING)`
- C. `str.maketrans(alphabet+x_string, ALPHABET+X_STRING)`
- D. `str.maketrans(ALPHABET+alphabet, X_STRING+x_string)`
- E. `str.maketrans(ALPHABET+X_STRING, alphabet+x_string)`

(b) (5 points) Complete the definition of the function below, consistent with its header, docstring comment, and assertions, by filling each blank with exactly one identifier, operator, or constant.

```
def redact(message: str, terms: 'list of str') -> str:
    ''' In message, change each occurrence of a string in terms to a same-length
        ... string of Xs.
        ...
    for t in _____:
        message = _____.replace(_____, _____(t))
    return _____

assert redact("Huey said to Louie, 'Get Dewey!'", ['Huey', 'Dewey', 'Louie']) == \
    "Xxxx said to Xxxxx, 'Get Xxxxx!'"

assert redact("Dewey lives at 1600 Pennsylvania Avenue",
    ['Huey', 'Dewey', 'Louie', '1600 Pennsylvania Avenue']) == \
    "Xxxxx lives at 1600 XXXXXXXXXXXXX XXXXXX"

assert redact("Four score and seven years ago", ['Huey', 'Dewey', 'Louie']) == \
    "Four score and seven years ago"
```



(c) (2 points) Suppose we want to redact digits instead of leaving them alone, so redacting 1600 would produce XXXX. We can do this by redefining the four strings in `redact_term` so this assertion will be true:

```
assert redact_term("1600 Pennsylvania Avenue") == "XXXX XXXXXXXXXXXXX XXXXXX"
```

Below are four alternative sets of redefinitions; one of them is wrong. Circle *just one* of A, B, C, or D to indicate the *wrong* alternative.

- A. `alphabet = 'abcdefghijklmnopqrstuvwxyz'`  
`x_string = 'xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx'`  
`ALPHABET = alphabet.upper() + '0123456789'`  
`X_STRING = x_string.upper() + 'XXXXXXXXXX'`
- B. `alphabet = 'abcdefghijklmnopqrstuvwxyz'`  
`x_string = 'xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx'`  
`ALPHABET = '0123456789' + alphabet.upper()`  
`X_STRING = x_string.upper() + 'XXXXXXXXXX'`
- C. `alphabet = 'abcdefghijklmnopqrstuvwxyz'`  
`x_string = 'x' * len(alphabet)`  
`DIGITS = '0123456789'`  
`ALPHABET = alphabet.upper() + DIGITS`  
`X_STRING = 'X' * (len(ALPHABET) + len(DIGITS))`
- D. `alphabet = 'abcdefghijklmnopqrstuvwxyz'`  
`x_string = 'x' * len(alphabet)`  
`DIGITS = '0123456789'`  
`ALPHABET = alphabet.upper() + DIGITS`  
`X_STRING = 'X' * (len(alphabet + DIGITS))`

(d) (2 points) It would be harder to figure out the actual names from our redacted messages if every term, no matter its original length or case, were simply transformed to XXXX. Fill in the blank with a Python expression that is consistent with the header, docstring, and assertions.

```
def redact_term (name: str) -> str:
    ''' Return 'XXXX', no matter how long or what case the parameter is.
    '''
    return _____
```

```
assert redact_term("") == "XXXX"
assert redact_term("Huey") == "XXXX"
assert redact_term("Goose duck duck") == "XXXX"
assert redact_term("1600 Pennsylvania Avenue") == "XXXX"
```

**Problem 7** (0 points)

When you're done with the exam, follow these steps (so you don't disturb your classmates and so your exam gets turned in properly):

- Write your UCInet ID in the blanks at the top of the odd-numbered pages. Also check for your name on the front page.
- Gather up all your stuff.
- Take your stuff and your exam down to the front of the room.
- Turn in your exam; show your ID if asked.
- Exit by the doors at the front of the room. Don't go back to your seat or disturb students who are still working.