

# CS 112 - Projective Textures

Aditi Majumder, CS 112

Slide 1

## Project a texture on 3D object

3D object

Texture

Viewer

Point of projection

Aditi Majumder, CS 112

Slide 2

## Multi-pass rendering


- More than one rendering passes
- Output of one pass is used in successive pass or passes
- Achieves several complicated effects
  - Non-planar VR environments
  - Shadows

Aditi Majumder, CS 112

Slide 3

## Designing Theatres

- Simulate what the viewer sees
- Texture map screen using projected texture from projector
- Render the screen from the viewer




Aditi Majumder, CS 112

Slide 4

## VR Environments

- Render the scene from user's viewpoint
- Distorted if projected from the projector location (since different from user)




Aditi Majumder, CS 112

Slide 5

## How is it used?

- Use this rendered image as a texture
- Project it from the viewer on the 3D display screen
- Render this textured screen to generate the image of the projector



Aditi Majumder, CS 112

Slide 6

## Shadows


- Points seen by viewer and NOT by light are in shadow
- Points seen by both viewer and light are lighted
- Points NOT seen by either viewer or light – we do not care about these

Aditi Majumder, CS 112

Slide 7

## Shadows

- B is not getting light and hence in shadow
- B is seen by viewer as in shadow
- How to achieve the effect?




Aditi Majumder, CS 112

Slide 8

## Rendering Pass 1

- Render the scene from light
- $Z_L$  = The z-buffer gives the depth of the points that are lighted
- Save the z-buffer




Aditi Majumder, CS 112

Slide 9

## Rendering Pass 2

- Render the scene from the viewer
- Unproject them to get the 3D coordinates back
  - Finds all *visible* 3d points
  - Limits the number of 3D points to be considered




Aditi Majumder, CS 112

Slide 10

## Rendering Pass 3


- Use the saved z-buffer from pass 1
- Use the visible 3D points from pass 2
  - Reproject them from light
- If the z of the visible points are more than the z in the saved buffer
  - In shadow
  - Attenuate them in the framebuffer for viewer



Aditi Majumder, CS 112

Slide 11

## Results



Aditi Majumder, CS 112

Slide 12