
## CS-171, Intro to A.I., Fall Quarter, 2012 — Quiz # 1 — 20 minutes

<b>1.</b> NAME:			
YOUR ID:	ID TO RIGHT:	ROW:	NO. FROM RIGHT:
	<b>4 pts each)</b> Your book on PEAS. Fill in the blank		nment as a set of four things he PEAS components.
Performance (me	easure) Environment	Actuators	Sensors
<b>3.a.</b> T Local se	pts each) Label the followearch algorithms generally earch algorithms generally	operate only on one (	or a few) current node(s).
<b>3.c.</b> <u>T</u> In tabu s	search recently visited sta	ites are temporarily exc	cluded from being visited agair
3.d. F Simulate	ed annealing is more likel	y to accept a bad move	e late in the search than earlie
<b>3.e.</b> <u>T</u> Local be	eam search retains the $k$ b	pest successors of the	k states in the previous step.
3.f. T Hill-climb	oing moves to the best su	ccessor of the current s	state.

**4. (10 pts total, 5 pts each, -1 for each wrong answer, but not negative)** You are performing genetic algorithm search for the 8-queens problem. Perform cross-over on these pairs of chromosomes at the indicated points.



Your answer is right if your two vectors have the right numbers. It doesn't matter which vector is on top or on bottom.


5. (50 pts total, 10 pts eac visited nodes, so repeated r Step costs are given

Please see the lecture slides for Uninformed Search, topic "When to do Goal-Test? When generated? When popped?" for clarification about exactly what to do in practical cases.

ember ow that. ode (as

h=x). The successors of each node are indicated by the arrows out of that node. Successors are returned in left-to-right order. (Note: C is a successor of itself).

For each search strategy below, indicate the order in which nodes are expanded (i.e., to expand a node means that its children are generated), ending with the goal node that is found. The first one is done for you as an example.



**5.e.** A\* **SEARCH.** Represent nodes as state/h/g/f.

Initial Queue: (S/10/0/10) Popped Node: (S/10/0/10) \_\_\_\_\_\_\_ Children (left-to-right): (A/13/5/18) (B/12/4/16) (C/11/2/13) **Queue (sorted):** (C/11/2/13) (B/12/4/16) (A/13/5/18) . Children: (C/11/13/24) (F/13/10/23) . **Queue:** (B/12/4/16) (A/13/5/18) (F/13/10/23) (C/11/13/24) Popped Node: (B/12/4/16) **Queue**: (A/13/5/18) (F/13/10/23) (C/11/13/24) (E/11/14/25) **Children:** (D/16/15/31) Popped Node: (F/13/10/23) Children: (<u>G3/0/34/34</u>) Queue: (C/11/13/24) (E/11/14/25) (D/16/15/31) (G3/0/34/34) Popped Node: (C/11/13/24) Children: (C/11/24/35) (F/13/21/34) **Queue**: (E/11/14/25) (D/16/15/31) (G3/0/34/34) (F/13/21/34) (C/11/24/35)\_\_\_\_\_\_ Popped Node: (E/11/14/25) Children: (G2/0/29/29) **Queue**: (G2/0/29/29) (D/16/15/31) (G3/0/34/34) (F/13/21/34) (C/11/24/35) . . . Popped Node: (G2/0/29/29) Children: Goal test succeeds.