

# First-Order Logic Semantics

Reading: Chapter 8, ~~9.1-9.2, 9.5.1-9.5.5~~

FOL Syntax and Semantics read: 8.1-8.2

FOL Knowledge Engineering read: 8.3-8.5

~~FOL Inference read: Chapter 9.1-9.2, 9.5.1-9.5.5~~

(Please read lecture topic material before and after each  
lecture on that topic)

# Outline

---

- Propositional Logic is **Useful** --- but has **Limited Expressive Power**
- First Order Predicate Calculus (FOPC), or First Order Logic (FOL).
  - FOPC has greatly expanded expressive power, though still limited.
- New Ontology
  - The world consists of OBJECTS (for propositional logic, the world was facts).
  - OBJECTS have PROPERTIES and engage in RELATIONS and FUNCTIONS.
- New Syntax
  - Constants, Predicates, Functions, Properties, Quantifiers.
- New Semantics
  - Meaning of new syntax.
- Knowledge engineering in FOL
- ~~Inference in FOL~~

## You will be expected to know

---

- FOPC syntax and semantics
  - Syntax: Sentences, predicate symbols, function symbols, constant symbols, variables, quantifiers
  - Semantics: Models, interpretations
- De Morgan's rules for quantifiers
  - connections between  $\forall$  and  $\exists$
- Nested quantifiers
  - Difference between " $\forall x \exists y P(x, y)$ " and " $\exists x \forall y P(x, y)$ "
  - $\forall x \exists y \text{ Likes}(x, y)$
  - $\exists x \forall y \text{ Likes}(x, y)$
- Translate simple English sentences to FOPC and back
  - $\forall x \exists y \text{ Likes}(x, y) \Leftrightarrow$  "Everyone has someone that they like."
  - $\exists x \forall y \text{ Likes}(x, y) \Leftrightarrow$  "There is someone who likes every person."

# Outline

---


- Review:  $KB \models S$  is equivalent to  $\models (KB \Rightarrow S)$ 
  - So what does  $\{ \} \models S$  mean?
- Review: Follows, Entails, Derives
  - Follows: “Is it the case?”
  - Entails: “Is it true?”
  - Derives: “Is it provable?”
- Semantics of FOL (FOPC)
  - Model, Interpretation

## FOL (or FOPC) Ontology:

What kind of things exist in the world?

What do we need to describe and reason about?

Objects --- with their relations, functions, predicates, properties, and general rules.



## Review: $KB \models S$ means $\models (KB \Rightarrow S)$

---

- $KB \models S$  is read "KB entails S."
  - Means "S is true in every world (model) in which KB is true."
  - Means "In the world, S follows from KB."
- $KB \models S$  is equivalent to  $\models (KB \Rightarrow S)$ 
  - Means "(KB  $\Rightarrow$  S) is true in every world (i.e., is valid)."
- And so:  $\{\} \models S$  is equivalent to  $\models (\{\} \Rightarrow S)$
- So what does  $(\{\} \Rightarrow S)$  mean?
  - Means "True implies S."
  - Means "S is valid."
  - In Horn form, means "S is a fact." p. 256 (3<sup>rd</sup> ed.; p. 281, 2<sup>nd</sup> ed.)
- Why does  $\{\}$  mean True here, but False in resolution proofs?

## Review: (True $\Rightarrow$ S) means "S is a fact."

---

- By convention,
  - The null conjunct is "syntactic sugar" for True.
  - The null disjunct is "syntactic sugar" for False.
  - Each is assigned the truth value of its identity element.
    - For conjuncts, True is the identity:  $(A \wedge \text{True}) \equiv A$
    - For disjuncts, False is the identity:  $(A \vee \text{False}) \equiv A$
- A KB is the conjunction of all of its sentences.
  - So in the expression:  $\{\} \models S$ 
    - We see that  $\{\}$  is the null conjunct and means True.
  - The expression means "S is true in every world where True is true."
    - I.e., "S is valid."
  - Better way to think of it:  $\{\}$  does not exclude any worlds (models).
- In Conjunctive Normal Form each clause is a disjunct.
  - So in, say,  $\text{KB} = \{ (P \vee Q) (\neg Q \vee R) (\ ) (X \vee Y \vee \neg Z) \}$ 
    - We see that  $(\ )$  is the null disjunct and means False.

## Side Trip: Functions AND, OR, and null values (Note: These are “syntactic sugar” in logic.)

**function** AND(*arglist*) **returns** a truth-value  
    **return** ANDOR(*arglist*, True)

**function** OR(*arglist*) **returns** a truth-value  
    **return** ANDOR(*arglist*, False)

**function** ANDOR(*arglist*, *nullvalue*) **returns** a truth-value  
    /\* *nullvalue* is the identity element for the caller. \*/  
    **if** (*arglist* = { })  
        **then return** *nullvalue*  
    **if** ( FIRST(*arglist*) = NOT(*nullvalue*) )  
        **then return** NOT(*nullvalue*)  
    **return** ANDOR( REST(*arglist*) )



**Side Trip: We only need one logical connective.  
(Note: AND, OR, NOT are “syntactic sugar” in logic.)**

**Both NAND and NOR are logically complete.**

- **NAND is also called the “Sheffer stroke”**
- **NOR is also called “Pierce’s arrow”**


$$(\text{NOT } A) = (\text{NAND } A \text{ TRUE}) = (\text{NOR } A \text{ FALSE})$$

$$\begin{aligned}(\text{AND } A \text{ B}) &= (\text{NAND TRUE (NAND } A \text{ B)}) \\ &= (\text{NOR (NOR } A \text{ FALSE) (NOR } B \text{ FALSE)})\end{aligned}$$

$$\begin{aligned}(\text{OR } A \text{ B}) &= (\text{NAND (NAND } A \text{ TRUE) (NAND } B \text{ TRUE)}) \\ &= (\text{NOR FALSE (NOR } A \text{ B)})\end{aligned}$$

# Review: Schematic for Follows, Entails, and Derives




---



*If KB is true in the real world,  
then any sentence  $\alpha$  entailed by KB  
and any sentence  $\alpha$  derived from KB  
**by a sound inference procedure**  
is also true in the real world.*

# Schematic Example: Follows, Entails, and Derives


---



## Review: Models (and in FOL, Interpretations)

---

- **Models** are formal worlds in which truth can be evaluated
- We say  $m$  is a **model of** a sentence  $a$  if  $a$  is true in  $m$
- $M(a)$  is the set of all models of  $a$
- Then  $KB \models a$  iff  $M(KB) \subseteq M(a)$ 
  - E.g.  $KB$ , = "Mary is Sue's sister and Amy is Sue's daughter."
  - $a$  = "Mary is Amy's aunt."
- Think of  $KB$  and  $a$  as constraints, and of models  $m$  as possible states.
- $M(KB)$  are the solutions to  $KB$  and  $M(a)$  the solutions to  $a$ .
- Then,  $KB \models a$ , i.e.,  $\models (KB \Rightarrow a)$ , when all solutions to  $KB$  are also solutions to  $a$ .



# Semantics: Worlds

---

- **The world consists of** objects **that have** properties.
  - **There are** relations **and** functions **between these objects**
  - **Objects in the world, individuals:** people, houses, numbers, colors, baseball games, wars, centuries
    - Clock A, John, 7, the-house in the corner, Tel-Aviv, Ball43
  - **Functions** on individuals:
    - father-of, best friend, third inning of, one more than
  - **Relations:**
    - brother-of, bigger than, inside, part-of, has color, occurred after
  - **Properties (a relation of arity 1):**
    - red, round, bogus, prime, multistoried, beautiful

# Semantics: Interpretation

---

- An **interpretation** of a sentence (wff) is an assignment that maps
  - Object constant symbols to objects in the world,
  - n-ary function symbols to n-ary functions in the world,
  - n-ary relation symbols to n-ary relations in the world
- Given an interpretation, an atomic sentence has the value “true” if it denotes a relation that holds for those individuals denoted in the terms. Otherwise it has the value “false.”
  - Example: Kinship world:
    - Symbols = Ann, Bill, Sue, Married, Parent, Child, Sibling, ...
  - World consists of individuals in relations:
    - Married(Ann,Bill) is false, Parent(Bill,Sue) is true, ...

# Truth in first-order logic

---

- Sentences are true with respect to a **model** and an **interpretation**
- Model contains objects (**domain elements**) and relations among them
- Interpretation specifies referents for
  - constant symbols** → **objects**
  - predicate symbols** → **relations**
  - function symbols** → **functional relations**
- An atomic sentence  $predicate(term_1, \dots, term_n)$  is true iff the **objects** referred to by  $term_1, \dots, term_n$  are in the **relation** referred to by  $predicate$

## Semantics: Models


---

- **An interpretation satisfies a wff (sentence) if the wff has the value “true” under the interpretation.**
- **Model: A domain and an interpretation that satisfies a wff is a model of that wff**
- **Validity: Any wff that has the value “true” under all interpretations is valid**
- **Any wff that does not have a model is inconsistent or unsatisfiable**
- **If a wff  $w$  has a value true under all the models of a set of sentences  $KB$  then  $KB$  logically entails  $w$**



## Models for FOL: Example

---




## FOL (or FOPC) Ontology:

What kind of things exist in the world?

What do we need to describe and reason about?

Objects --- with their relations, functions, predicates, properties, and general rules.



# Summary

---

- First-order logic:
  - Much more expressive than propositional logic
  - Allows objects and relations as semantic primitives
  - Universal and existential quantifiers
- Syntax: constants, functions, predicates, equality, quantifiers
- Nested quantifiers
- Translate simple English sentences to FOPC and back